

15 Referanser

1. Wang Y, Beydoun MA. The obesity epidemic in the United States--gender, age, socio-economic, racial/ethnic, and geographic characteristics: a systematic review and meta-regression analysis. *Epidemiol Rev* 2007;29(1):6-28.
2. International Obesity Taskforce. Childhood and Adolescent overweight in Europe [nettdokument]. International Association for the Study of Obesity. [oppdatert 2007; lest nov 2007]. Tilgjengelig fra: www.ietf.org/database/Childhoodandadolescentoverweightineurope.htm
3. Anderssen SA, Kolle E, Steene-Johannessen J, Ommundsen Y, Andersen LB. Fysisk aktivitet blant barn og unge i Norge: en kartlegging av aktivitetsnivå og fysisk form hos 9- og 15-åringer. Oslo: Helsedirektoratet; 2008. Tilgjengelig fra: www.helsedirektoratet.no/
4. Hovengen R, Meisfjord J, Biehl A, Nordhagen R. Barns vekst i Norge 2008: høyde, vekt og livvidde målt blant 3.-klassinger. Oslo: Folkehelseinstituttet; 2009. Tilgjengelig fra: www.fhi.no/barnevekst
5. Andersen LF, Lillegaard IT, Overby N, Lytle L, Klepp KI, Johansson L. Overweight and obesity among Norwegian schoolchildren: changes from 1993 to 2000. *Scand J Public Health* 2005;33(2):99-106.
6. Vilimas K, Glavin K, Donovan ML. Overvekt hos åtte- og 12-åringer i Oslo i 2004. *Tidsskr Nor Lægeforen* 2005;125(22):3088-9.
7. Juliusson P, Roelants M, Eide G, Hauspie R, Waaler P, Bjerknes R. Overweight and obesity in Norwegian children: secular trends in weight-for-height and skinfolds. *Acta Paediatr* 2007;96(9):1333-7.
8. Bjornelv S, Lydersen S, Mykletun A, Holmen TL. Changes in BMI-distribution from 1966-69 to 1995-97 in adolescents. The Young-HUNT study, Norway. *BMC Public Health* 2007;7(1):279.
9. Cole TJ, Bellizzi MC, Flegal KM, Dietz WH. Establishing a standard definition for child overweight and obesity worldwide: international survey. *BMJ* 2000;320(7244):1240-3.
10. McCarthy HD, Ellis SM, Cole TJ. Central overweight and obesity in British youth aged 11-16 years: cross sectional surveys of waist circumference. *BMJ* 2003;326(7390):624.
11. Fredriks AM, van BS, Fekkes M, Verloove-Vanhorick SP, Wit JM. Are age references for waist circumference, hip circumference and waist-hip ratio in Dutch children useful in clinical practice? *Eur J Pediatr* 2005;164(4):216-22.
12. Cole TJ, Faith MS, Pietrobelli A, Heo M. What is the best measure of adiposity change in growing children: BMI, BMI %, BMI z-score or BMI centile? *Eur J Clin Nutr* 2005;59(3):419-25.
13. Saltin B, Helge JW. Skelettmuskulaturens metaboliske kapasitet og sundhed. *Ugeskr Læger* 2000;162(15):2159-64.

14. Dietz WH. Childhood weight affects adult morbidity and mortality. *J Nutr* 1998;128(2 Suppl):411S-4S.
15. Freedman DS, Khan LK, Serdula MK, Dietz WH, Srinivasan SR, Berenson GS. Racial differences in the tracking of childhood BMI to adulthood. *Obes Res* 2005;13(5):928-35.
16. Johannsson E, Arngrimsson SA, Thorsdottir I, Sveinsson T. Tracking of overweight from early childhood to adolescence in cohorts born 1988 and 1994: overweight in a high birth weight population. *Int J Obes* 2006;30(8):1265-71.
17. Kvaavik E, Tell GS, Klepp KI. Predictors and tracking of body mass index from adolescence into adulthood: follow-up of 18 to 20 years in the Oslo Youth Study. *Arch Pediatr Adolesc Med* 2003;157(12):1212-8.
18. Garn SM, Clark DC. Trends in fatness and the origins of obesity Ad Hoc Committee to Review the Ten-State Nutrition Survey. *Pediatrics* 1976;57(4):443-56.
19. Summerbell CD, Waters E, Edmunds LD, Kelly S, Brown T, Campbell KJ. Interventions for preventing obesity in children. *Cochrane Database Syst Rev* 2005;(3). Art. No.: CD001871. DOI: 10.1002/14651858.CD001871.pub2
20. Moller NC, Wedderkopp N, Kristensen PL, Andersen LB, Froberg K. Secular trends in cardiorespiratory fitness and body mass index in Danish children: The European Youth Heart Study. *Scand J Med Sci Sports* 2007;17(4):331-9.
21. Janz KF, Dawson JD, Mahoney LT. Tracking physical fitness and physical activity from childhood to adolescence: the muscatine study. *Med Sci Sports Exerc* 2000;32(7):1250-7.
22. Beunen G, Ostyn M, Simons J, Renson R, Claessens AL, Vanden EB, et al. Development and tracking in fitness components: Leuven longitudinal study on lifestyle, fitness and health. *Int J Sports Med* 1997;18(Suppl 3):S171-S178.
23. Wangensteen T, Kolsgaard ML, Mattingsdal M, Joner G, Tonstad S, Undlien D, et al. Mutations in the melanocortin 4 receptor (MC4R) gene in obese patients in Norway. *Exp Clin Endocrinol Diabetes* 2009;117(6):266-73.
24. Montague CT, Farooqi IS, Whitehead JP, Soos MA, Rau H, Wareham NJ, et al. Congenital leptin deficiency is associated with severe early-onset obesity in humans. *Nature* 1997;387(6636):903-8.
25. Krude H, Biebermann H, Luck W, Horn R, Brabant G, Gruters A. Severe early-onset obesity, adrenal insufficiency and red hair pigmentation caused by POMC mutations in humans. *Nat Genet* 1998;19(2):155-7.
26. Jackson RS, Creemers JW, Ohagi S, Raffin-Sanson ML, Sanders L, Montague CT, et al. Obesity and impaired prohormone processing associated with mutations in the human prohormone convertase 1 gene. *Nat Genet* 1997;16(3):303-6.
27. Farooqi IS, Yeo GS, Keogh JM, Aminian S, Jebb SA, Butler G, et al. Dominant and recessive inheritance of morbid obesity associated with melanocortin 4 receptor deficiency. *J Clin Invest* 2000;106(2):271-9.
28. Wangensteen T, Undlien D, Tonstad S, Retterstol L. Genetiske årsaker til fedme. *Tidsskr Nor Lægeforen* 2005;125(22):3090-3.
29. Couper RT, Couper JJ. Prader-Willi syndrome. *Lancet* 2000;356(9230):673-5.
30. Mykytyn K, Braun T, Carmi R, Haider NB, Searby CC, Shastri M, et al. Identification of the gene that, when mutated, causes the human obesity syndrome BBS4. *Nat Genet* 2001;28(2):188-91.
31. Collin GB, Marshall JD, Cardon LR, Nishina PM. Homozygosity mapping at Alstrom syndrome to chromosome 2p. *Hum Mol Genet* 1997;6(2):213-9.
32. Kivittie-Kallio S, Eronen M, Lipsanen-Nyman M, Marttinen E, Norio R. Cohen syndrome: evaluation of its cardiac, endocrine and radiological features. *Clin Genet* 1999;56(1):41-50.
33. Hediger ML, Overpeck MD, McGlynn A, Kuczmarski RJ, Maurer KR, Davis WW. Growth and fatness at three to six years of age of children born small- or large-for-gestational age. *Pediatrics* 1999;104(3):e33.

34. Boney CM, Verma A, Tucker R, Vohr BR. Metabolic syndrome in childhood: association with birth weight, maternal obesity, and gestational diabetes mellitus. *Pediatrics* 2005;115(3):e290-e296.
35. Rolland-Cachera MF, Deheeger M, Bellisle F, Sempe M, Guilloud-Bataille M, Patois E. Adiposity rebound in children: a simple indicator for predicting obesity. *Am J Clin Nutr* 1984;39(1):129-35.
36. Pinkney J, Wilding J, Williams G, MacFarlane I. Hypothalamic obesity in humans: what do we know and what can be done? *Obes Rev* 2002;3(1):27-34.
37. Covar RA, Leung DY, McCormick D, Steelman J, Zeitler P, Spahn JD. Risk factors associated with glucocorticoid-induced adverse effects in children with severe asthma. *J Allergy Clin Immunol* 2000;106(4):651-9.
38. Martin A, Landau J, Leebens P, Ulizio K, Cicchetti D, Scahill L, et al. Risperidone-associated weight gain in children and adolescents: a retrospective chart review. *J Child Adolesc Psychopharmacol* 2000;10(4):259-68.
39. Strømme SB, Anderssen SA, Hjermann I, Sundgot-Borgen J, Smeland S, Mæhlum S, et al. Fysisk aktivitet og helse: anbefalinger. Oslo: Sosial- og helsedirektoratet; 2002. Rapport 2/2000. Tilgjengelig fra: www.helsedirektoratet.no/
40. Tilstandsrapport 2003: Om idrett og fysisk aktivitet i Norge. Oslo: Akilles; 2003. Tilgjengelig fra: www.nif.idrett.no/files/%7BC674E0D5-BA99-471E-A22B-EEFDEF5EDF12%7D.pdf
41. Fyhri A, Hjorthol R. Barns fysiske bomiljø, aktiviteter og daglige reiser. Oslo: Transportøkonomisk institutt; 2006. TØI rapport 869/2006. Tilgjengelig fra: www.toi.no/
42. Statistikkbanken [nettdokument]. Oslo: SSB [oppdatert 2007; lest 25 feb 2008]. Tilgjengelig fra: statbank.ssb.no/statistikkbanken/
43. Denstadli JM, Engebretsen Ø, Hjorthol R, Vågane L. Den Nasjonale reisevaneundersøkelsen 2005: nøkkelrapport. Oslo: Transportøkonomisk institutt; 2006. TØI Rapport 844/2006. Tilgjengelig fra: www.toi.no/
44. Hjorthol R. Bilens betydning for barns og unges aktivitetsmønstre. Oslo: Transportøkonomisk institutt; 2006. TØI rapport 834/2006. Tilgjengelig fra: www.toi.no/
45. Helsedepartementet. Resept for et sunnere Norge: folkehelsepolitikken. St.meld nr.16 (2002-2003). Tilgjengelig fra: www.regjeringen.no/
46. Epstein LH, Roemmich JN, Robinson JL, Paluch RA, Winiewicz DD, Fuerch JH, et al. A randomized trial of the effects of reducing television viewing and computer use on body mass index in young children. *Arch Pediatr Adolesc Med* 2008;162(3):239-45.
47. Torsheim T, Samdahl O, Wold B, Hetland J. Helse og trivsel blant barn og unge: norske resultater fra studien "Helsevaner blant skoleelever: en WHO-studie i flere land». Bergen: Universitetet i Bergen, HEMIL-senteret; 2004. HEMIL-rapport 3-2004.
48. Vaage OF. Stadig mer tid foran skjermen. *Samfunnsspeilet* 2007;21(4):24-6.
49. Marshall SJ, Biddle SJ, Gorely T, Cameron N, Murdey I. Relationships between media use, body fatness and physical activity in children and youth: a meta-analysis. *Int J Obes Relat Metab Disord* 2004;28(10):1238-46.
50. Ekelund U, Brage S, Froberg K, Harro M, Anderssen SA, Sardinha LB, et al. TV viewing and physical activity are independently associated with metabolic risk in children: the European Youth Heart Study. *PLoS Med* 2006;3(12):e488.
51. Moreno LA, Ochoa MC, Warnberg J, Marti A, Martinez JA, Marcos A. Treatment of obesity in children and adolescents. How nutrition can work? *Int J Pediatr Obes* 2008;3 Suppl 1:72-7.
52. Malik VS, Schulze MB, Hu FB. Intake of sugar-sweetened beverages and weight gain: a systematic review. *Am J Clin Nutr* 2006;84(2):274-88.
53. Dewey KG. Growth characteristics of breast-fed compared to formula-fed infants. *Biological Neonate* 1998;74(2):94-105.
54. Horta B, Bahr R, Martines J, Victoria C. Evidence for the long-term effects of breastfeeding: systematic reviews and meta-analysis. Geneva: World Health Organization; 2007.

55. Ip S, Chung M, Chew P, Magula N, Devine D. Breastfeeding and maternal and infant health outcomes in developed countries. Rockville, MD: Agency for Healthcare Research and Quality; 2007. Evidence Report/Technology Assessment 153.
56. Food, Nutrition, Physical activity and the prevention of cancer. A global perspective. Washington: World Cancer Research Fund/American Institute of Cancer Research; 2007.
57. Birch LL, Davison KK. Family environmental factors influencing the developing behavioral controls of food intake and childhood overweight. *Pediatr Clin North Am* 2001;48(4):893-907.
58. Larsen TM, Flint A, Heitmann BL. Forebyggelse af fedme. *Ugeskr Læger* 2006;168(2):155-9.
59. Lien N, Kumar BN, Lien L. Overvekt blant ungdom i Oslo. *Tidsskr Nor Lægeforen* 2007;127(17):2254-8.
60. Helse- og omsorgsdepartementet. Nasjonal strategi for å utjevne sosiale helseforskjeller. St.meld. nr. 20 (2006-2007). Tilgjengelig fra: www.regjeringen.no
61. Zimetkin AJ, Zoon CK, Klein HW, Munson S. Psychiatric aspects of child and adolescent obesity: a review of the past 10 years. *J Am Acad Child Adolesc Psychiatry* 2004;43(2):134-50.
62. Fitzgibbon ML, Stolley MR, Schiffer L, Van HL, KauferChristoffel K, Dyer A. Two-year follow-up results for Hip-Hop to Health Jr.: a randomized controlled trial for overweight prevention in preschool minority children. *J Pediatr* 2005;146(5):618-25.
63. Dabelea D, Bell RA, D'Agostino RB, Jr., Imperatore G, Johansen JM, Linder B, et al. Incidence of diabetes in youth in the United States. *JAMA* 2007;297(24):2716-24.
64. Latner JD, Stunkard AJ. Getting worse: the stigmatization of obese children. *Obes Res* 2003;11(3):452-6.
65. Hill AJ, Silver EK. Fat, friendless and unhealthy: 9-year old children's perception of body shape stereotypes. *Int J Obes Relat Metab Disord* 1995;19(6):423-30.
66. Staffieri JR. A study of social stereotype of body image in children. *J Pers Soc Psychol* 1967;7(1):101-4.
67. Griffiths LJ, Wolke D, Page AS, Horwood JP. Obesity and bullying: different effects for boys and girls. *Arch Dis Child* 2006;91(2):121-5.
68. Puhl RM, Latner JD. Stigma, obesity, and the health of the nation's children. *Psychol Bull* 2007;133(4):557-80.
69. French SA, Story M, Perry CL. Self-esteem and obesity in children and adolescents: a literature review. *Obes Res* 1995;3(5):479-90.
70. Lowry KW, Sallinen BJ, Janicke DM. The effects of weight management programs on self-esteem in pediatric overweight populations. *J Pediatr Psychol* 2007;32(10):1179-95.
71. Wardle J, Cooke L. The impact of obesity on psychological well-being. *Best Pract Res Clin Endocrinol Metab* 2005;19(3):421-40.
72. Pierce JW, Wardle J. Cause and effect beliefs and self-esteem of overweight children. *J Child Psychol Psychiatry* 1997;38(6):645-50
73. French SA, Story M, Perry CL. Self-esteem and obesity in children and adolescents: a literature review. *Obes Res* 1995;3(5):479-90.
74. Pesa JA, Syre TR, Jones E. Psychosocial differences associated with body weight among female adolescents: the importance of body image. *J Adolesc Health* 2000;26(5):330-7.
75. Ricciardelli LA, McCabe MP. Children's body image concerns and eating disturbance: a review of the literature. *Clin Psychol Rev* 2001;21(3):325-44.
76. Presnell K, Bearman SK, Stice E. Risk factors for body dissatisfaction in adolescent boys and girls: a prospective study. *Int J Eat Disord* 2004;36(4):389-401.
77. Stradmeijer M, Bosch J, Koops W, Seidell J. Family functioning and psychosocial adjustment in overweight youngsters. *Int J Eat Disord* 2000;27(1):110-4.
79. Wardle J, Waller J, Fox E. Age of onset and body dissatisfaction in obesity. *Addict Behav* 2002;27(4):561-73.

80. Carno MA, Ellis E, Anson E, Kraus R, Black J, Short R, et al. Symptoms of sleep apnea and polysomnography as predictors of poor quality of life in overweight children and adolescents. *J Pediatr Psychol* 2008;33(3):269-78.
81. de Beer M, Hofsteenge GH, Koot HM, Hirasing RA, Delemarre-van de Waal HA, Gemke RJ. Health-related-quality-of-life in obese adolescents is decreased and inversely related to BMI. *Acta Paediatr* 2007;96(5):710-4.
82. Fallon EM, Tanofsky-Kraff M, Norman AC, McDuffie JR, Taylor ED, Cohen ML, et al. Health-related quality of life in overweight and nonoverweight black and white adolescents. *J Pediatr* 2005;147(4):443-50.
83. Friedlander SL, Larkin EK, Rosen CL, Palermo TM, Redline S. Decreased quality of life associated with obesity in school-aged children. *Arch Pediatr Adolesc Med* 2003;157(12):1206-11.
84. Hughes AR, Farewell K, Harris D, Reilly JJ. Quality of life in a clinical sample of obese children. *Int J Obes (Lond)* 2007;31(1):39-44.
85. Pinhas-Hamiel O, Singer S, Pilpel N, Fradkin A, Modan D, Reichman B. Health-related quality of life among children and adolescents: associations with obesity. *Int J Obes* 2006;30(2):267-72.
86. Varni JW, Limbers CA, Burwinkle TM. Impaired health-related quality of life in children and adolescents with chronic conditions: a comparative analysis of 10 disease clusters and 33 disease categories/severities utilizing the PedsQL 4.0 Generic Core Scales. *Health Qual Life Outcomes* 2007;5:43.
87. Swallen KC, Reither EN, Haas SA, Meier AM. Overweight, obesity, and health-related quality of life among adolescents: the National Longitudinal Study of Adolescent Health. *Pediatrics* 2005;115(2):340-7.
88. Goldschmidt AB, Aspen VP, Sinton MM, Tanofsky-Kraff M, Wilfley DE. Disordered eating attitudes and behaviors in overweight youth. *Obesity* 2008;16(2):257-64.
89. Bruch H. Obesity and anorexia nervosa: psychosocial aspects. *Aust N Z J Psychiatry* 1975;9(3):159-61.
90. Herman CP, Polivy J. A boundary model for the regulation of eating. *Res Publ Assoc Res Nerv Ment Dis* 1984;62:141-56.
91. Goldschmidt AB, Jones M, Manwaring JL, Luce KH, Osborne MI, Cunning D, et al. The clinical significance of loss of control over eating in overweight adolescents. *Int J Eat Disord* 2008;41(2):153-8.
92. Marcus MD, Kalarchian MA. Binge eating in children and adolescents. *Int J Eat Disord* 2003;34 Suppl:S47-S57.
93. Butryn ML, Wadden TA. Treatment of overweight in children and adolescents: does dieting increase the risk of eating disorders? *Int J Eat Disord* 2005;37(4):285-93.
94. Neumark-Sztainer D, Story M, Hannan PJ, Perry CL, Irving LM. Weight-related concerns and behaviors among overweight and nonoverweight adolescents: implications for preventing weight-related disorders. *Arch Pediatr Adolesc Med* 2002;156(2):171-8.
95. Gower BA. Syndrome X in children: Influence of ethnicity and visceral fat. *Am J Hum Biol* 1999;11(2):249-57.
96. Moller DE, Kaufman KD. Metabolic syndrome: a clinical and molecular perspective. *Annu Rev Med* 2005;56:45-62.
97. Reaven GM. Syndrome X: 6 years later. *J Intern Med Suppl* 1994;736:13-22.
98. Reaven GM. The metabolic syndrome: requiescat in pace. *Clin Chem* 2005;51(6):931-8.
99. Steinberger J, Daniels SR, Eckel RH, Hayman L, Lustig RH, McCrindle B, et al. Progress and challenges in metabolic syndrome in children and adolescents: a scientific statement from the American Heart Association Atherosclerosis, Hypertension, and Obesity in the Young Committee of the Council on Cardiovascular Disease in the Young; Council on Cardiovascular Nursing; and Council on Nutrition, Physical Activity, and Metabolism. *Circulation* 2009;119(4):628-47.

100. McCarthy HD. Body fat measurements in children as predictors for the metabolic syndrome: focus on waist circumference. *Proc Nutr Soc* 2006;65(4):385-92.
101. Brambilla P, Lissau I, Flodmark CE, Moreno LA, Widhalm K, Wabitsch M, et al. Metabolic risk-factor clustering estimation in children: to draw a line across pediatric metabolic syndrome. *Int J Obes* 2007;31(4):591-600.
102. Wynne K, Stanley S, McGowan B, Bloom S. Appetite control. *J Endocrinol* 2005;184(2):291-318.
103. Pinhas-Hamiel O, Dolan LM, Daniels SR, Standiford D, Khoury PR, Zeitler P. Increased incidence of non-insulin-dependent diabetes mellitus among adolescents. *J Pediatr* 1996;128:608-15.
104. Batty D, Thune I. Does physical activity prevent cancer? Evidence suggests protection against colon cancer and probably breast cancer. *BMJ* 2000;321(7274):1424-5.
105. Henderson RC. Tibia vara: a complication of adolescent obesity. *J Pediatr* 1992;121(3):482-6.
106. Ievers-Landis CE, Redline S. Pediatric sleep apnea: implications of the epidemic of childhood overweight. *Am J Respir Crit Care Med* 2007;175(5):436-41.
107. Flaherman V, Rutherford GW. A meta-analysis of the effect of high weight on asthma. *Arch Dis Child* 2006;91(4):334-9.
108. Ford ES. The epidemiology of obesity and asthma. *J Allergy Clin Immunol* 2005;115(5):897-909.
109. Guzzaloni G, Grugni G, Minocci A, Moro D, Morabito F. Liver steatosis in juvenile obesity: correlations with lipid profile, hepatic biochemical parameters and glycemic and insulino-mic responses to an oral glucose tolerance test. *Int J Obes Relat Metab Disord* 2000;24(6):772-6.
110. Stordal K, Johannesdottir GB, Bentsen BS, Carlsen KC, Sandvik L. Asthma and overweight are associated with symptoms of gastro-oesophageal reflux. *Acta Paediatr* 2006;95(10):1197-201.
111. Hancox RJ, Poulton R, Taylor DR, Greene JM, McLachlan CR, Cowan JO, et al. Associations between respiratory symptoms, lung function and gastro-oesophageal reflux symptoms in a population-based birth cohort. *Respir Res* 2006;7:142.
112. Hassan A, Gordon CM. Polycystic ovary syndrome update in adolescence. *Curr Opin Pediatr* 2007;19(4):389-97.
113. Rosenfield RL. Clinical review: identifying children at risk for polycystic ovary syndrome. *J Clin Endocrinol Metab* 2007;92(3):787-96.
114. Harwood K, Vuguin P, Martino-Nardi J. Current approaches to the diagnosis and treatment of polycystic ovarian syndrome in youth. *Horm Res* 2007;68(5):209-17.
115. Ibanez L, Potau N, Ferrer A, Rodriguez-Hierro F, Marcos MV, De ZF. Anovulation in eumenorrheic, nonobese adolescent girls born small for gestational age: insulin sensitization induces ovulation, increases lean body mass, and reduces abdominal fat excess, dyslipidemia, and subclinical hyperandrogenism. *J Clin Endocrinol Metab* 2002;87(12):5702-5.
116. Forskrift om kommunens helsefremmende og forebyggende arbeid i helsestasjons- og skolehelsetjenesten. FOR-2003-04-03-450.
117. "Helse i plan» inkluderer universell utforming [nettdokument]. Oslo: Miljøverndepartementet [oppdatert 6 apr 2006; lest 27 des 2007]. Tilgjengelig fra: www.universell-utforming.miljo.no/artikkel.shtml?id=396
118. ...sammen om psykisk helse: regjeringens strategiplan for barn og unges psykiske helse. Oslo: Helsedepartementet; 2003. Tilgjengelig fra: www.regjeringen.no/
119. Sammen for fysisk aktivitet: handlingsplan for fysisk aktivitet 2005 - 2009. Oslo: Helse- og omsorgsdepartementet; 2004. Tilgjengelig fra: www.regjeringen.no/

120. Oppskrift for et sunnere kosthold: handlingsplan for bedre kosthold i befolkningen (2007-2011). Oslo: Helse- og omsorgsdepartementet; 2007. Tilgjengelig fra: www.helsedirektoratet.no/
121. Barnas framtid: nasjonal strategi for barn og unges miljø og helse 2007-2016. Oslo: Helse- og omsorgsdepartementet; 2007. Tilgjengelig fra: www.regjeringen.no/
122. Lov om helsetjenesten i kommunene. LOV 1982-11-19 nr 66.
123. Retningslinjer for mat og måltider i barnehagen. Oslo: Sosial- og helsedirektoratet; 2007. Tilgjengelig fra: www.helsedirektoratet.no/
124. Ekeland E, Larun L, Jamtvedt G, Nordheim L. Hvordan fremme fysisk aktivitet hos skolebarn? Oslo: Sosial- og helsedirektoratet; 2003. Tilgjengelig fra: www.helsedirektoratet.no/
125. Fysisk aktivitet og måltider i skolen. Oslo: Utdanningsdirektoratet, Helse- og omsorgsdepartementet, Kunnskapsdepartementet, Sosial- og helsedirektoratet; 2007. Tilgjengelig fra: www.helsedirektoratet.no/
126. Gaasemyr I. Trafikkløsninger i skolens nærområder: eksempler og aktuelle tiltak. Oslo: Statens vegvesen; 2000. Rapport 10/2000. Tilgjengelig fra: www.vegvesen.no/_attachment/62569/binary/16726
127. Aktuelle lenker om skolevei og fysisk aktivitet. Oslo: Sosial- og helsedirektoratet [oppdatert 9 jun 2006; lest nov 2007]. Tilgjengelig fra: www.helsedirektoratet.no/aktiveskolebarn/aktive_skolebarn_47852
128. Skolens uteområder: om behovet for arealnormer og virkemidler. Oslo: Sosial- og helsedirektoratet; 2005. Tilgjengelig fra: www.helsedirektoratet.no/
129. Uteområder Oslo: Skoleanlegg - nasjonal rådgivningstjeneste [lest nov 2007]. Tilgjengelig fra: skoleanlegg.utdanningsdirektoratet.no/?id=1029&subid=0
130. European Conference on Initiatives to Combat School Bullying. London: Goldsmiths College; 1998. Tilgjengelig fra: old.gold.ac.uk/euconf/
131. Retningslinjer for skolemåltidet. Oslo: Sosial- og helsedirektoratet; 2003. Tilgjengelig fra: www.helsedirektoratet.no/
132. Vaage J. Upubliserte data. Sør-Trøndelag. 2007.
133. Skolefrukt.no. Oslo: Opplysningskontoret for frukt og grønnsaker; Sosial- og helsedirektoratet [lest 1 nov 2007]. Tilgjengelig fra: www.skolefrukt.no/
134. Skolemelk.no. Oslo: Opplysningskontoret for meieriprodukter [lest 23 Nov 2007]. Tilgjengelig fra: www.melk.no/menyListe1.aspx?mnu1id=9125
135. Aktiv365 [nettdokument]. Buskerud-, Telemark- og Vestfold Idrettskrets [lest des 2007]. Tilgjengelig fra: www.aktiv365.no/
136. Retningslinjer for svangerskapsomsorgen. Oslo: Sosial- og helsedirektoratet; 2005. Tilgjengelig fra: www.helsedirektoratet.no/
137. Henriksen T. Ernæring, vekt og svangerskap. Tidsskr Nor Lægeforen 2007;127(18):2399-401.
138. Guide til en sunn hverdag for barn og unge. Oslo: Helsedirektoratet [lest 15 jun 2007]. Tilgjengelig fra: www.helsedirektoratet.no/
139. Mat for spebarn. Oslo: Sosial- og helsedirektoratet; 2006. Tilgjengelig fra: www.helsedirektoratet.no/
140. Stewart L, Chapple J, Hughes AR, Poustie V, Reilly JJ. Parents' journey through treatment for their child's obesity: a qualitative study. Arch Dis Child 2008;93(1):35-9.
141. Prescott P, Børtveit B. Helse og atferdsendring. Oslo: Gyldendal akademisk; 2004.
142. Waxman A. WHO global strategy on diet, physical activity and health. Food Nutr Bull 2004;25(3):292-302.
143. Strong WB, Malina RM, Blimkie CJ, Daniels SR, Dishman RK, Gutin B, et al. Evidence based physical activity for school-age youth. J Pediatr 2005;146(6):732-7.
144. Norske anbefalinger for ernæring og fysisk aktivitet. Oslo: Sosial- og helsedirektoratet; 2005. Tilgjengelig fra: www.helsedirektoratet.no/

145. Biddle SJ, Gorely T, Stensel DJ. Health-enhancing physical activity and sedentary behaviour in children and adolescents. *J Sports Sci* 2004;22(8):679-701.
146. Andersen LB, Harro M, Sardinha LB, Froberg K, Ekelund U, Brage S, et al. Physical activity and clustered cardiovascular risk in children: a cross-sectional study (The European Youth Heart Study). *Lancet* 2006;368(9532):299-304.
147. Gutin B, Yin Z, Johnson M, Barbeau P. Preliminary findings of the effect of a 3-year after-school physical activity intervention on fitness and body fat: the Medical College of Georgia Fitkid Project. *Int J Pediatr Obes* 2008;3 Suppl 1:3-9.
148. Tema: Fysisk aktivitet [nettdokument]. Oslo: Helsedirektoratet [oppdatert 2009; lest 2009]. Tilgjengelig fra: www.helsedirektoratet.no/fysiskaktivitet
149. Energy and protein requirements: report of a Joint FAO/WHO/UNU Expert Consultation. Geneva: World Health Organization; 1985. Technical report series 724.
150. Krebs NF, Jacobson MS. Prevention of pediatric overweight and obesity. *Pediatrics* 2003;112(2):424-30.
151. Clinical Practice Guidelines for the Management of Overweight and Obesity in Children and Adolescents. Canberra: National Health & Medical Research Council; 2003. Tilgjengelig fra: www.obesityguidelines.gov.au.
152. McConahy, K. L., Smicklas-Wright, H., Birch, L. L., Mitchell, D. C., & Picciano, M. F. (2002). Food portions are positively related to energy intake and body weight in early childhood. *Journal of Pediatrics*, 140, 340-347.
153. Collins CE, Warren J, Neve M, McCoy P, Stokes BJ. Measuring effectiveness of dietetic interventions in child obesity: a systematic review of randomized trials. *Arch Pediatr Adolesc Med* 2006;160(9):906-22.
154. Gibson LJ, Peto J, Warren JM, dos Santos Silva I. Lack of evidence on diets for obesity for children: a systematic review. *Int J Epidemiol* 2006;35(6):1544-52.
155. National High Blood Pressure Education Program Working Group on High Blood Pressure in Children and Adolescents. The fourth report on the diagnosis, evaluation, and treatment of high blood pressure in children and adolescents. *Pediatrics* 2004;114(2 Suppl 4th Report):555-76.
156. Krebs NF, Himes JH, Jacobson D, Nicklas TA, Guilday P, Styne D. Assessment of child and adolescent overweight and obesity. *Pediatrics* 2007;120(Suppl 4):S193-S228.
157. Daniels SR, Greer FR. Lipid screening and cardiovascular health in childhood. *Pediatrics* 2008;122(1):198-208.
158. Report of the expert committee on the diagnosis and classification of diabetes mellitus. *Diabetes Care* 2003;26(Suppl 1):S5-20.
159. Gilles A, Cassano M, Shepherd EJ, Higgins D, Hecker JE, Nangle DW. Comparing active pediatric obesity treatments using meta-analysis. *J Clin Child Adolesc Psychol* 2008;37(4):886-92.
160. McLean N, Griffin S, Toney K, Hardeman W. Family involvement in weight control, weight maintenance and weight-loss interventions: a systematic review of randomised trials. *Int J Obes Relat Metab Disord* 2003;27(9):987-1005.
161. Nowicka P, Flodmark CE. Family in pediatric obesity management: a literature review. *Int J Pediatr Obes* 2008;3 Suppl 1:44-50.
162. Wilfley DE, Tibbs TL, Van Buren DJ, Reach KP, Walker MS, Epstein LH. Lifestyle interventions in the treatment of childhood overweight: a meta-analytic review of randomized controlled trials. *Health Psychol* 2007;26(5):521-32.
163. Young KM, Northern JJ, Lister KM, Drummond JA, O'Brien WH. A meta-analysis of family-behavioral weight-loss treatments for children. *Clin Psychol Rev* 2007;27(2):240-9.
164. Oude Luttikhuis H, Baur L, Jansen H, Shrewsbury VA, O'Malley C, Stolk RP, et al. Interventions for treating obesity in children. *Cochrane Database Syst Rev* 2009;(1):Art. No.: CD001872. DOI: 10.1002/14651858.CD001872.pub2

165. Nowicka P, Flodmark C-E. Barnövervikt i praktiken: evidensbaserad familjeviktsskola. Lund: Studentlitteratur; 2006.
166. Flodmark CE, Lissau I. Psychotherapy. I: Burniet W, Cole TJ, Lissau I, Poskitt E, red. Child and adolescent obesity: causes and consequences, prevention and management. Cambridge: Cambridge University Press; 2002. s. 327-44.
167. Barlow SE. Expert committee recommendations regarding the prevention, assessment, and treatment of child and adolescent overweight and obesity: summary report. Pediatrics 2007;120 Suppl 4:S164-S192.
168. Epstein LH, McCurley J, Wing RR, Valoski A. Five-year follow-up of family-based behavioral treatments for childhood obesity. J Consult Clin Psychol 1990;58(5):661-4.
169. Golan M, Fainaru M, Weizman A. Role of behaviour modification in the treatment of childhood obesity with the parents as the exclusive agents of change. Int J Obes Relat Metab Disord 1998;22(12):1217-24.
170. Daniels SR, Arnett DK, Eckel RH, Gidding SS, Hayman LL, Kumanyika S, et al. Overweight in children and adolescents: pathophysiology, consequences, prevention, and treatment. Circulation 2005;111(15):1999-2012.
171. Treningskontakt.no [nettdokument]. Førde: Helse Førde HF, Førde Sentralsjukehus [lest nov 2007]. Tilgjengelig fra: www.treningskontakt.no/
172. Epstein LH, Valoski A, Wing RR, McCurley J. Ten-year follow-up of behavioral, family-based treatment for obese children. JAMA 1990;264(19):2519-23.
173. Molnar D. New drug policy in childhood obesity. Int J Obes 2005;29(Suppl 2):S62-S65.
174. Pratt JS, Lenders CM, Dionne EA, Hoppin AG, Hsu GL, Inge TH, et al. Best practice updates for pediatric/adolescent weight loss surgery. Obesity 2009;17(5):901-10.
175. Landsforeningen for overvektige [nettdokument]. Oslo: Landsforeningen for overvektige [lest 27 des 2007]. Tilgjengelig fra: www.overvektige.no/
176. Retningslinjer for retningslinjer: prosesser og metoder for utvikling og implementering av faglig retningslinjer. Oslo: Statens helsetilsyn; 2002. Tilgjengelig fra: www.helsedirektoratet.no/
177. Obesity: guidance on the prevention, identification, assessment and management of overweight and obesity in adults and children. London: National Institute for Health and Clinical Excellence; 2006. NICE clinical guideline 43. Tilgjengelig fra: www.nice.org.uk/nicemedia/pdf/CG43NICEGuideline.pdf
178. Müller P. Opsporing og behandling af overvægt hos førskolebørn. Dansk selskab for Almen Medicin og Sundhedsstyrelsen; 2006. Tilgjengelig fra: www.dsam.dk.

Notater

A series of horizontal dotted lines for writing notes.

Faglige retningslinjer utarbeides innenfor områder der Helsedirektoratet mener at en retningslinje er egnet til å forbedre kvaliteten på tjenesten. Det kan være behov for en faglig retningslinje når det er påvist for dårlig standard, stor variasjon i praksis og urimelig ressursfordeling. Faglige retningslinjer utarbeides etter en fast metode der det legges vekt på oppdatert faglig kunnskap, åpenhet, tverrfaglighet og brukermedvirkning. Begrepet retningslinjer brukes også om retningslinjer utgitt med hjemmel i forskrift, disse retningslinjene kategoriseres ikke som nasjonale faglige retningslinjer.

Helsedirektoratet

Pb. 7000 St. Olavs plass, 0130 Oslo

Tlf.: 810 20 050

Faks: 24 16 30 01

www.helsedirektoratet.no