


## Dokumentasjonsark: Nasjonal faglig retningslinje for hjerneslag

**Spørsmål:** Har pasienter som har gjennomgått hjerneblødning nytte av platehemmende behandling?

<b>P</b>	Pasienter med hjerneblødning	
<b>I</b>	Platehemming	Dato for søk: 9.11.2015
<b>C</b>	Ingen behandling	Søk oppdatert dato:
<b>O</b>	Hjerneinfarkt, hjerneblødning, mortalitet, major blødning	Bibliotek: Helsedirektoratet



\*Årsak til eksklusjon av studier etter vurdering av fulltekst:

**Tabell 1a. Inkluderte studier**

Forfatter	År	Tittel
Flynn, MacDonald, Murray, MacWalter, & Doney, 2010	2010	Prescribing antiplatelet medicine and subsequent events after intracerebral hemorrhage
Viswanathan et al., 2006	2006	Antiplatelet use after intracerebral hemorrhage

**Tabell 2. Ekskluderte referanser. Sammendraget/tittel funnet relevant, ekskludert etter gjennomlesing av artikkel.**

Forfatter	År	Kommentar/begrunnelse for eksklusjon
Al-Shahi Salman & Innes, 2015	2015	Pågående studie
Berkowitz, Westover, Bianchi, & Chou, 2014	2014	Møter ikke PICO
Biffi et al., 2010	2010	Studiepopulasjon møter ikke PICO
Diener et al., 2012	2012	Studiepopulasjon- og intervensjon møter ikke PICO
Dinicolantonio & Serebruany, 2012	2012	Møter ikke PICO
Diringer et al., 2010	2010	Møter ikke PICO
Elmahdy & Antonucci, 2013	2013	Møter ikke PICO
Gregoire et al., 2010	2012	Møter ikke PICO (ser på microbleeds)
James et al., 2012	2012	Studiepopulasjon møter ikke PICO
Nieuwenhuizen, Worp, Algra, Gelder, & Kappelle, 2014	2014	Pågående studie
Rasmussen et al., 2015	2015	Studiepopulasjon møter ikke PICO
Seadon & Lang, 2015	2015	Studiepopulasjon møter ikke PICO
Senbokuya et al., 2012	2012	Studiepopulasjon møter ikke PICO
Senbokuya et al., 2013	2013	Studiepopulasjon møter ikke PICO
Sharma et al., 2014	2014	Møter ikke PICO
Shinohara & Huang, 2011	2011	Konferanse abstrakt

Sprigg et al., 2014	2014	Pågående studie; intervensjonen ikke overførbar til PICO
Suzuki et al., 2011	2011	Studiepopulasjon- og intervensjon møter ikke PICO
van Nieuwenhuizen, van der Worp, Algra, Kappelle, et al., 2015	2015	Protokoll til pågåendestudie
Van Nieuwenhuizen, Van Der Worp, Algra, Van Gelder, et al., 2015	2015	Pågående studie
Y. Wang et al., 2015	2015	Studiepopulasjon- og intervensjon møter ikke PICO
Y. Wang et al., 2013	2013	Duplikat; møter ikke PICO
Z. Wang, Xu, Wang, Wang, & Xin, 2015	2015	Duplikat; møter ikke PICO
Yan et al., 2014	2014	Møter ikke PICO

---

Fullstendig referanseliste (inkluderte og ekskluderte referanser).

- Al-Shahi Salman, R., & Innes, K. (2015). RE start or STop antithrombotics randomised trial (RESTART). *International Journal of Stroke, 10*, 426. doi:<http://dx.doi.org/10.1111/ijs.12479>
- Berkowitz, A. L., Westover, M. B., Bianchi, M. T., & Chou, S. H. Y. (2014). Aspirin for acute stroke of unknown etiology in resource-limited settings A decision analysis. *Neurology, 83*(9), 787-793. doi:<http://dx.doi.org/10.1212/WNL.0000000000000730>
- Biffi, A., Halpin, A., Towfighi, A., Gilson, A., Busl, K., Rost, N., . . . Viswanathan, A. (2010). Aspirin and recurrent intracerebral hemorrhage in cerebral amyloid angiopathy. *Neurology, 75*(8), 693-698. doi:10.1212/WNL.0b013e3181eee40f
- Diener, H. C., Eikelboom, J., Connolly, S. J., Joyner, C. D., Hart, R. G., Lip, G. Y., . . . Investigators. (2012). Apixaban versus aspirin in patients with atrial fibrillation and previous stroke or transient ischaemic attack: a predefined subgroup analysis from AVERROES, a randomised trial. *Lancet Neurology, 11*(3), 225-231. doi:[http://dx.doi.org/10.1016/S1474-4422\(12\)70017-0](http://dx.doi.org/10.1016/S1474-4422(12)70017-0)
- Dinicolantonio, J. J., & Serebruany, V. L. (2012). Comparing ticagrelor versus clopidogrel in patients with a history of cerebrovascular disease: a net clinical harm? *Stroke (00392499), 43*(12), 3409-3410 3402p. doi:10.1161/STROKEAHA.112.668988
- Diringer, M. N., Skolnick, B. E., Mayer, S. A., Steiner, T., Davis, S. M., Brun, N. C., & Broderick, J. P. (2010). Thromboembolic events with recombinant activated factor VII in spontaneous intracerebral hemorrhage: results from the Factor Seven for Acute Hemorrhagic Stroke (FAST) trial. *Stroke, 41*(1), 48-53. doi:<http://dx.doi.org/10.1161/STROKEAHA.109.561712>

- Elmahdy, M. F., & Antonucci, D. (2013). ARCTIC: Additional proof against antiplatelet adjusted therapy. Retrieved from <http://onlinelibrary.wiley.com/o/cochrane/clcentral/articles/173/CN-00960173/frame.html> doi:10.5339/gcsp.2013.17
- Flynn, R. W., MacDonald, T. M., Murray, G. D., MacWalter, R. S., & Doney, A. S. (2010). Prescribing antiplatelet medicine and subsequent events after intracerebral hemorrhage. *Stroke*, *41*(11), 2606-2611. doi:10.1161/strokeaha.110.589143
- Gregoire, S. M., Jäger, H. R., Yousry, T. A., Kallis, C., Brown, M. M., & Werring, D. J. (2010). Brain microbleeds as a potential risk factor for antiplatelet-related intracerebral haemorrhage: hospital-based, case-control study. *Journal of neurology, neurosurgery, and psychiatry*, *81*(6), 679-684. doi:10.1136/jnnp.2009.198994
- James, S. K., Storey, R. F., Khurmi, N. S., Husted, S., Keltai, M., Mahaffey, K. W., . . . Group, P. S. (2012). Ticagrelor versus clopidogrel in patients with acute coronary syndromes and a history of stroke or transient ischemic attack. *Circulation*, *125*(23), 2914-2921. doi:<http://dx.doi.org/10.1161/CIRCULATIONAHA.111.082727>
- Nieuwenhuizen, K. M., Worp, H. B., Algra, A., Gelder, I. C., & Kappelle, L. J. R. G. J. E. (2014). APACHE-AF: apixaban versus antiplatelet drugs or no antithrombotic treatment after anticoagulation-associated intracerebral haemorrhage in patients with atrial fibrillation. A randomized phase II clinical trial. *European Stroke Conference 2014*. Retrieved from <http://onlinelibrary.wiley.com/o/cochrane/clcentral/articles/053/CN-00991053/frame.html>
- Rasmussen, R., Wetterslev, J., Stavngaard, T., Juhler, M., Skjoth-Rasmussen, J., Grande, P. O., & Olsen, N. V. (2015). Effects of prostacyclin on cerebral blood flow and vasospasm after subarachnoid hemorrhage: randomized, pilot trial. *Stroke*, *46*(1), 37-41. doi:<http://dx.doi.org/10.1161/STROKEAHA.114.007470>
- Seadon, S., & Lang, E. (2015). Clopidogrel with aspirin versus aspirin alone in prevention of stroke following transient ischemic attack or acute minor stroke. *Canadian Journal of Emergency Medicine*, *17*(3), 315-317. doi:<http://dx.doi.org/10.2310/8000.2014.141510>
- Senbokuya, N., Kinouchi, H., Kanemaru, K., Nishiyama, Y., Yoshioka, H., & Horikoshi, T. (2012). Cilostazol prevents cerebral vasospasm after aneurysmal subarachnoid hemorrhage: A multicenter prospective, randomized, open-label blinded endpoint trial. *Cerebrovascular Diseases*, *34*, 37-38. doi:<http://dx.doi.org/10.1159/000341759>
- Senbokuya, N., Kinouchi, H., Kanemaru, K., Ohashi, Y., Fukamachi, A., Yagi, S., . . . Horikoshi, T. (2013). Effects of cilostazol on cerebral vasospasm after aneurysmal subarachnoid hemorrhage: a multicenter prospective, randomized, open-label blinded end point trial. *Journal of Neurosurgery*, *118*(1), 121-130. doi:<http://dx.doi.org/10.3171/2012.9.JNS12492>
- Sharma, M., Pearce, L. A., Benavente, O. R., Anderson, D. C., Connolly, S. J., Palacio, S., . . . Hart, R. G. (2014). Predictors of mortality in patients with lacunar stroke in the secondary prevention of small subcortical strokes trial. *Stroke*, *45*(10), 2989-2994. doi:<http://dx.doi.org/10.1161/STROKEAHA.114.005789>
- Shinohara, Y., & Huang, Y. (2011). Cilostazol surpasses aspirin in secondary stroke prevention: Combined analysis of randomized clinical trials, CSPS II and CASISP. *Stroke*, *42* (3), e159. doi:<http://dx.doi.org/10.1161/STR.0b013e3182074d9b>
- Sprigg, N., Bath, P. M. W., Krishnan, K., Utton, S., Foster, H., Payne, T., . . . Robson, K. (2014). On-going clinical trials tich-2 trial - tranexamic acid for intracerebral hemorrhage 2. *International Journal of Stroke*, *9*, 253. Retrieved from <http://onlinelibrary.wiley.com/o/cochrane/clcentral/articles/289/CN-01055289/frame.html> doi:10.1111/ijvs.12375
- Suzuki, S., Sayama, T., Nakamura, T., Nishimura, H., Ohta, M., Inoue, T., . . . Takeshita, I. (2011). Cilostazol improves outcome after subarachnoid hemorrhage: A preliminary report. *Cerebrovascular Diseases*, *32*(1), 89-93. doi:<http://dx.doi.org/10.1159/000327040>
- van Nieuwenhuizen, K. M., van der Worp, H. B., Algra, A., Kappelle, L. J., Rinkel, G. J. E., van Gelder, I. C., . . . Klijn, C. J. M. (2015). Apixaban versus Antiplatelet drugs or no antithrombotic drugs

- after anticoagulation-associated intracerebral haemorrhage in patients with Atrial Fibrillation (APACHE-AF): Study protocol for a randomised controlled trial. *Trials [Electronic Resource]*, 16(1). doi:<http://dx.doi.org/10.1186/s13063-015-0898-4>
- Van Nieuwenhuizen, K. M., Van Der Worp, H. B., Algra, A., Van Gelder, I. C., Kappelle, L. J., Rinkel, G. J. E., . . . Klijn, C. J. M. (2015). APACHE-AF: Apixaban versus antiplatelet drugs or no antithrombotic treatment after anticoagulation-associated intracerebral haemorrhage in patients with atrial fibrillation. A randomized phase II clinical trial. *International Journal of Stroke*, 10, 433. doi:<http://dx.doi.org/10.1111/ijvs.12479>
- Viswanathan, A., Rakich, S. M., Engel, C., Snider, R., Rosand, J., Greenberg, S. M., & Smith, E. E. (2006). Antiplatelet use after intracerebral hemorrhage. *Neurology*, 66(2), 206-209. doi:10.1212/01.wnl.0000194267.09060.77
- Wang, Y., Pan, Y., Zhao, X., Li, H., Wang, D., Johnston, S. C., . . . Investigators, C. (2015). Clopidogrel With Aspirin in Acute Minor Stroke or Transient Ischemic Attack (CHANCE) Trial: One-Year Outcomes. *Circulation*, 132(1), 40-46. doi:<http://dx.doi.org/10.1161/CIRCULATIONAHA.114.014791>
- Wang, Y., Zhao, X., Liu, L., Wang, D., Wang, C., Li, H., . . . Johnston, S. C. (2013). Clopidogrel with aspirin in acute minor stroke or transient ischemic attack. *New England Journal of Medicine*, 369(1), 11-19. doi:<http://dx.doi.org/10.1056/NEJMoa1215340>
- Wang, Z., Xu, C., Wang, P., Wang, Y., & Xin, H. (2015). Combined clopidogrel-aspirin treatment for high risk TIA or minor stroke does not increase cerebral microbleeds. *Neurological Research*, 37(11), 993-997. doi:<http://dx.doi.org/10.1179/1743132815Y.0000000087>
- Yan, L., Li, Y. D., Li, Y. H., Li, M. H., Zhao, J. G., & Chen, S. W. (2014). Outcomes of antiplatelet therapy for haemorrhage patients after thrombolysis: a prospective study based on susceptibility-weighted imaging. *Radiologia Medica*, 119(3), 175-182. doi:<http://dx.doi.org/10.1007/s11547-013-0328-1>