


Dokumentasjonsark: Nasjonal faglig retningslinje for hjerneslag

Spørsmål 3.4: Fører speilterapi til en bedring av armfunksjon hos slagpasienter med paralyse eller alvorlig parese i overekstremiteten?

P	Slagpasienter med paralyse eller alvorlig parese i overekstremitet	
I	Speilterapi	Dato for søk: 13.01.2016
C	Annen eller ingen behandling for paralyse eller alvorlig parese i overekstremitet.	Søk oppdatert dato:
O	Armfunksjon, ADL-funksjon	Bibliotek: Helsedirektoratet



*17 systematiske litteraturoversikter som gikk videre til screening runde to, ble ekskludert i forkant av vurdering av fulltekst (i.e. ekskludert etter vurdering av tittel og sammendrag) grunnet publikasjonsår tidligere enn Cochrane review av Thieme et a. 2012.

Tabell 1a. Inkluderte systematiske oversikter (oversiktsartikler).

Forfatter	År	Tittel	Siste litteratursøk
Thieme, Mehrholz, Pohl, Behrens, & Dohle	2012	Mirror therapy for improving motor function after stroke	Juni 2011

Tabell 2. Ekskluderte referanser. Sammendraget/tittel funnet relevant, ekskludert etter vurdering av fulltekst av artikkel.

Forfatter	År	Kommentar/begrunnelse for eksklusjon
Almeida, Santos, Caseiro, Poco, & Guimaraes	2011	Publisert før Cochrane review av Thieme 2012
Arora	2014	Konferanse abstrakt
Barros, dos Santos, de Medeiros, & de Melo	2014	Kun tilgjengelig på fremmedspråk
de Vries & Mulder	2007	Publisert før Cochrane review av Thieme 2012
Deconinck et al.	2015	Møter ikke PICO
Doyle, Bennett, Fasoli, & McKenna	2010	Utgår til fordel for Thieme 2012 (inkluderer færre studier)
Ertelt & Binkofski	2012	Ikke SR
Ezendam, Bongers, & Jannink	2009	Publisert før Cochrane review av Thieme 2012
Faralli, Bigoni, Mauro, Rossi, & Carulli	2013	Ikke SR; møter ikke PICO
Flor & Diers	2009	Publisert før Cochrane review av Thieme 2012
Garrison, Winstein, & Aziz-Zadeh	2010	Publisert før Cochrane review av Thieme 2012
Hayward, Barker, Carson, & Brauer	2014	Noe redusert overførbarhet til PICO; Utgår til fordel for Thieme 2012
Iacoboni & Mazziotta	2007	Publisert før Cochrane review av Thieme 2012
Juchters, Pernet, & Kerckhofs	2013	Kun konferanse abstrakt
Klinke, Hafsteinsdottir, Hjaltason, & Jonsdottir	2015	Utgår til fordel for Thieme 2012 (inkluderer færre studier)
Langhorne, Bernhardt, & Kwakkel	2011	Publisert før Cochrane review av Thieme 2012

Liepert	2010	Publisert før Cochrane review av Thieme 2012
Liepert	2010	Publisert før Cochrane review av Thieme 2012
Liepert	2012	Kun tilgjengelig på Tysk
Lisa, Jughters, & Kerckhofs	2013	Publisert før Cochrane review av Thieme 2012: Utgår til fordel for Thieme 2012
Mathieson, Parsons, & Kaplan	2014	Publisert før Cochrane review av Thieme 2012: møter ikke PICO
McCabe, Haigh, & Blake	2008	Publisert før Cochrane review av Thieme 2012
Molier, Van Asseldonk, Hermens, & Jannink	2010	Publisert før Cochrane review av Thieme 2012
Nilsen et al.	2015	Utgår til fordel for Thieme 2012
O'Connell, Wand, McAuley, Marston, & Moseley	2013	Utgår til fordel for Thieme 2012 (inkluderer færre studier)
Opara, Rycerski, Szczygieł, Mazurek, & Wardejn	2015	Møter ikke PICO
Opsommer & Ferchichi	2013	Kun tilgjengelig på Fransk
Oujamaa, Relave, Froger, Mottet, & Pelissier	2009	Publisert før Cochrane review av Thieme 2012
Pandian et al.	2014	Ikke SR
Pernet, Juchters, & Kerckhofs	2013	Kun konferanse abstrakt
Pollock et al.	2014	Utgår til fordel for Thieme 2012 (inkluderer færre studier)
Rothgangel, Braun, Beurskens, Seitz, & Wade	2011	Publisert før Cochrane review av Thieme 2012
Sousa Nanji, Torres Cardoso, Costa, & Vaz-Carneiro	2015	Kun tilgjengelig på Portugisisk
Stoykov & Corcos	2009	Publisert før Cochrane review av Thieme 2012
Thieme, Mehrholz, Pohl, Behrens, & Dohle	2011	Publisert før Cochrane review av Thieme 2012
Thieme, Mehrholz, Pohl, Behrens, & Dohle	2012	Duplikat
Thieme, Mehrholz, Pohl, Behrens, &	2013	Møter ikke PICO

Dohle		
Thieme, Mehrholz, Pohl, Behrens, & Dohle	2013	Duplikat
Thieme, Morkisch, Borgetto, & Dohle	2015	Møter ikke PICO
Thieme, Morkisch, Rietz, Dohle, & Borgetto	2015	Møter ikke PICO
Toh & Fong	2012	Utgår til fordel for Thieme 2012
Veerbeek et al.	2014	Utgår til fordel for Thieme 2012
Veldman, Maffioletti, Hallett, Zijdewind, & Hortobágyi	2014	Møter ikke PICO
Zult, Howatson, Kádár, Farthing, & Hortobágyi	2014	Møter ikke PICO

Fullstendig referanseliste (inkluderte og ekskluderte referanser).

- Almeida, P., Santos, A. R., Caseiro, P., Poco, R., & Guimaraes, R. (2011). Physiotherapy and mobility, self-care and domestic life independency of stroke patients-systematic review. *Physiotherapy (United Kingdom)*, 97, eS59. doi: <http://dx.doi.org/10.1016/j.physio.2011.04.002>
- Arora, R. (2014). Mirror therapy in unilateral neglect after stroke: Systematic review and meta analysis. *Stroke. Conference*, 45(no pagination).
- Barros, A. F. S., dos Santos, S. G., de Medeiros, G. F. R., & de Melo, L. P. (2014). Analysis of physical therapy interventions on quality of life of patients after stroke. [Portuguese]. [Análise de intervenções fisioterapêuticas na qualidade de vida de pacientes Pos-AVC.]. *Revista Neurociencias*, 22(2), 308-314. doi: <http://dx.doi.org/10.4181/RNC.2014.22.02.905.7p>
- de Vries, S., & Mulder, T. (2007). Motor imagery and stroke rehabilitation: a critical discussion. *Journal of Rehabilitation Medicine*, 39(1), 5-13.
- Deconinck, F. J., Smorenburg, A. R., Benham, A., Ledebt, A., Feltham, M. G., & Savelsbergh, G. J. (2015). Reflections on mirror therapy: a systematic review of the effect of mirror visual feedback on the brain. *Neurorehabilitation and Neural Repair*, 29(4), 349-361. doi: <http://dx.doi.org/10.1177/1545968314546134>
- Doyle, S., Bennett, S., Fasoli, S. E., & McKenna, K. T. (2010). Interventions for sensory impairment in the upper limb after stroke. *Cochrane Database of Systematic Reviews*(6), CD006331. doi: <http://dx.doi.org/10.1002/14651858.CD006331.pub2>
- Ertelt, D., & Binkofski, F. (2012). Action observation as a tool for neurorehabilitation to moderate motor deficits and aphasia following stroke. *Neural Regeneration Research*, 7(26), 2063-2074. doi: <http://dx.doi.org/10.3969/j.issn.1673-5374.2012.26.008>
- Ezendam, D., Bongers, R. M., & Jannink, M. J. (2009). Systematic review of the effectiveness of mirror therapy in upper extremity function. *Disability and Rehabilitation*, 31(26), 2135-2149. doi: <http://dx.doi.org/10.3109/09638280902887768>

- Faralli, A., Bigoni, M., Mauro, A., Rossi, F., & Carulli, D. (2013). Noninvasive strategies to promote functional recovery after stroke. *Neural Plasticity*, 2013, 854597. doi: <http://dx.doi.org/10.1155/2013/854597>
- Flor, H., & Diers, M. (2009). Sensorimotor training and cortical reorganization. *NeuroRehabilitation*, 25(1), 19-27. doi: <http://dx.doi.org/10.3233/NRE-2009-0496>
- Garrison, K. A., Winstein, C. J., & Aziz-Zadeh, L. (2010). The mirror neuron system: a neural substrate for methods in stroke rehabilitation. *Neurorehabilitation and Neural Repair*, 24(5), 404-412. doi: <http://dx.doi.org/10.1177/1545968309354536>
- Hayward, K. S., Barker, R. N., Carson, R. G., & Brauer, S. G. (2014). The effect of altering a single component of a rehabilitation programme on the functional recovery of stroke patients: a systematic review and meta-analysis. *Clinical Rehabilitation*, 28(2), 107-117. doi: <http://dx.doi.org/10.1177/0269215513497601>
- Iacoboni, M., & Mazziotta, J. C. (2007). Mirror neuron system: basic findings and clinical applications. *Annals of Neurology*, 62(3), 213-218.
- Juchters, A., Pernet, L., & Kerckhofs, E. (2013). Effectiveness of mirror therapy on the recovery of motor skills in terms of function, disability and participation in stroke patients: A systematic review. *Cerebrovascular Diseases*, 35, 826. doi: <http://dx.doi.org/10.1159/000353129>
- Klinke, M. E., Hafsteinsdottir, T. B., Hjaltason, H., & Jonsdottir, H. (2015). Ward-based interventions for patients with hemispatial neglect in stroke rehabilitation: a systematic literature review. *International Journal of Nursing Studies*, 52(8), 1375-1403. doi: <http://dx.doi.org/10.1016/j.ijnurstu.2015.04.004>
- Langhorne, P., Bernhardt, J., & Kwakkel, G. (2011). Stroke rehabilitation. *Lancet*, 377(9778), 1693-1702. doi: [http://dx.doi.org/10.1016/S0140-6736\(11\)60325-5](http://dx.doi.org/10.1016/S0140-6736(11)60325-5)
- Liepert, J. (2010). Evidence-based methods in motor rehabilitation. [German]. [Evidenzbasierte verfahren in der motorischen rehabilitation.]. *Journal fur Neurologie, Neurochirurgie und Psychiatrie*, 11(1), 5-10.
- Liepert, J. (2010). Evidence-based therapies for upper extremity dysfunction. *Current Opinion in Neurology*, 23(6), 678-682. doi: <http://dx.doi.org/10.1097/WCO.0b013e32833ff4c4>
- Liepert, J. (2012). Evidence-based methods in motor rehabilitation after stroke. [German]. [Evidenzbasierte Verfahren in der motorischen Rehabilitation nach Schlaganfall.]. *Fortschritte der Neurologie Psychiatrie*, 80(7), 388-393. doi: <http://dx.doi.org/10.1055/s-0031-1299490>
- Lisa, L. P., Juchters, A., & Kerckhofs, E. (2013). The effectiveness of different treatment modalities for the rehabilitation of unilateral neglect in stroke patients: a systematic review. *NeuroRehabilitation*, 33(4), 611-620. doi: <http://dx.doi.org/10.3233/NRE-130986>
- Mathieson, S., Parsons, J., & Kaplan, M. (2014). Combining Functional Electrical Stimulation with Mirror Therapy for the Upper Limb in People with Stroke. *Critical Reviews in Physical & Rehabilitation Medicine*, 26(1/2), 113-129 117p.
- McCabe, C. S., Haigh, R. C., & Blake, D. R. (2008). Mirror visual feedback for the treatment of complex regional pain syndrome (type 1). *Current Pain & Headache Reports*, 12(2), 103-107.
- Molier, B. I., Van Asseldonk, E. H., Hermens, H. J., & Jannink, M. J. (2010). Nature, timing, frequency and type of augmented feedback; does it influence motor relearning of the hemiparetic arm after stroke? A systematic review. *Disability and Rehabilitation*, 32(22), 1799-1809. doi: <http://dx.doi.org/10.3109/09638281003734359>
- Nilsen, D. M., Gillen, G., Geller, D., Hreha, K., Osei, E., & Saleem, G. T. (2015). Effectiveness of interventions to improve occupational performance of people with motor impairments after stroke: an evidence-based review. *American Journal of Occupational Therapy*, 69(1), 6901180030p6901180031-6901180039. doi: <http://dx.doi.org/10.5014/ajot.2015.011965>
- O'Connell, N. E., Wand, B. M., McAuley, J., Marston, L., & Moseley, G. L. (2013). Interventions for treating pain and disability in adults with complex regional pain syndrome. *Cochrane Database of Systematic Reviews*, 4, CD009416. doi: <http://dx.doi.org/10.1002/14651858.CD009416.pub2>

- Opara, J., Rycerski, W., Szczygieł, J., Mazurek, J., & Wardejn, E. (2015). Innovative application of virtual reality to advance mirror therapy in paretic upper limb after stroke. *International Journal of Therapy & Rehabilitation*, 22, S3-S3 1p.
- Opsommer, E., & Ferchichi, S. (2013). Management of upper extremity function in patients with hemiparesis after stroke. Synthesis of recommendations. [French]. [Traitement de la fonction du membre superieur du patient hemiparetique. Synthese de recommandations dans le cadre de l'accident vasculaire cerebral.]. *Kinesitherapie*, 13(133), 25-31. doi: <http://dx.doi.org/10.1016/j.kine.2012.09.011>
- Oujamaa, L., Relave, I., Froger, J., Mottet, D., & Pelissier, J. Y. (2009). Rehabilitation of arm function after stroke. Literature review. *Annals of Physical and Rehabilitation Medicine*, 52(3), 269-293. doi: <http://dx.doi.org/10.1016/j.rehab.2008.10.003>
- Pandian, J. D., Arora, R., Kaur, P., Sharma, D., Vishwambaran, D. K., & Arima, H. (2014). Mirror therapy in unilateral neglect after stroke (MUST trial): a randomized controlled trial. *Neurology*, 83(11), 1012-1017. doi: <http://dx.doi.org/10.1212/WNL.0000000000000773>
- Pernet, L., Juchters, A., & Kerckhofs, E. (2013). The effectiveness of conservative treatment modalities in right hemisphere stroke patients with hemineglect, measured by neuropsychological and/or functional tests: A systematic review. *Cerebrovascular Diseases*, 35, 823. doi: <http://dx.doi.org/10.1159/000353129>
- Pollock, A., Farmer, S. E., Brady, M. C., Langhorne, P., Mead, G. E., Mehrholz, J., & van Wijck, F. (2014). Interventions for improving upper limb function after stroke. *Cochrane Database of Systematic Reviews*, 11, CD010820. doi: <http://dx.doi.org/10.1002/14651858.CD010820.pub2>
- Rothgangel, A. S., Braun, S. M., Beurskens, A. J., Seitz, R. J., & Wade, D. T. (2011). The clinical aspects of mirror therapy in rehabilitation: a systematic review of the literature. *International Journal of Rehabilitation Research*, 34(1), 1-13. doi: <http://dx.doi.org/10.1097/MRR.0b013e3283441e98>
- Sousa Nanji, L., Torres Cardoso, A., Costa, J., & Vaz-Carneiro, A. (2015). Analysis of the cochrane review: Interventions for improving upper limb function after stroke. cochrane database syst rev. 2014,11:CD010820. [Portuguese]. [Analise da Revisao Cochrane: Intervencoes para Melhorar a Funcao do Membro Superiorapos Acidente Vascular Cerebral. Cochrane Database Syst Rev. 2014,11:CD010820.]. *Acta Medica Portuguesa*, 28(5), 551-553.
- Stoykov, M. E., & Corcos, D. M. (2009). A review of bilateral training for upper extremity hemiparesis. *Occupational Therapy International*, 16(3-4), 190-203. doi: <http://dx.doi.org/10.1002/oti.277>
- Thieme, H., Mehrholz, J., Pohl, M., Behrens, J., & Dohle, C. (2011). Mirror therapy for improving motor function after stroke - A systematic review carried out using cochrane methodology. *Cerebrovascular Diseases*, 31, 203. doi: <http://dx.doi.org/10.1159/000329448>
- Thieme, H., Mehrholz, J., Pohl, M., Behrens, J., & Dohle, C. (2012). Mirror therapy for improving motor function after stroke. *Cochrane Database of Systematic Reviews*, 3, CD008449. doi: <http://dx.doi.org/10.1002/14651858.CD008449.pub2>
- Thieme, H., Mehrholz, J., Pohl, M., Behrens, J., & Dohle, C. (2012). Mirror Therapy for improving motor function after stroke-a systematic review carried out using Cochrane methodology. *Neurorehabilitation and Neural Repair*, 26 (4), 434. doi: <http://dx.doi.org/10.1177/1545968312447071>
- Thieme, H., Mehrholz, J., Pohl, M., Behrens, J., & Dohle, C. (2013). Mirror therapy for improving motor function after stroke. *Stroke*, 44(1), e1-2.
- Thieme, H., Mehrholz, J., Pohl, M., Behrens, J., & Dohle, C. (2013). Mirror therapy for improving motor function after stroke. *Journal of the Neurological Sciences*, 333, e573. doi: <http://dx.doi.org/10.1016/j.jns.2013.07.2004>
- Thieme, H., Morkisch, N., Borgetto, B., & Dohle, C. (2015). Movement representation techniques for treating limb pain-a systematic review and metaanalysis. *Physiotherapy (United Kingdom)*, 101, eS1507-eS1508. doi: <http://dx.doi.org/org/10.1016/j.physio.2015.03.1489>

- Thieme, H., Morkisch, N., Rietz, C., Dohle, C., & Borgetto, B. (2015). The efficacy of movement representation techniques for treating limb pain - a systematic review and metaanalysis. *The journal of pain : official journal of the American Pain Society*.
- Toh, S. F. M., & Fong, K. N. K. (2012). Systematic review on the effectiveness of mirror therapy in training upper limb hemiparesis after stroke. *Hong Kong Journal of Occupational Therapy*, 22(2), 84-95. doi: <http://dx.doi.org/10.1016/j.hkjot.2012.12.009>
- Veerbeek, J. M., van Wegen, E., van Peppen, R., van der Wees, P. J., Hendriks, E., Rietberg, M., & Kwakkel, G. (2014). What is the evidence for physical therapy poststroke? A systematic review and meta-analysis. *PloS One*, 9(2), e87987. doi: 10.1371/journal.pone.0087987
- Veldman, M. P., Maffiuletti, N. A., Hallett, M., Zijdwind, I., & Hortobágyi, T. (2014). Direct and crossed effects of somatosensory stimulation on neuronal excitability and motor performance in humans. *Neuroscience and Biobehavioral Reviews*, 47, 22-35. doi: <http://dx.doi.org/10.1016/j.neubiorev.2014.07.013>
- Zult, T., Howatson, G., Kádár, E., Farthing, J., & Hortobágyi, T. (2014). Role of the Mirror-Neuron System in Cross-Education. *Sports Medicine*, 44(2), 159-178 120p. doi: 10.1007/s40279-013-0105-2