

Litteratursøk fra Bibliotek for helseforvaltningen

Dokumentasjon av søkestrategi

Spesialistmodeller og generalistmodeller for behandling av personlighetsforstyrrelser

Kontaktperson: Karin Irene Gravbrøt
Søk: Marita Heintz
Fagfelle: Ragnhild Agathe Tornes
Dublettsjekk i EndNote: Før dublettkontroll: 513 SO og 5 521 andre
Etter dublettkontroll: 230 SO og 2 548 andre

Hvilket spørsmål skal litteratursøket besvare?			
Bør pasienter med personlighetsforstyrrelser tilbys spesialiserte behandlingsmodeller eller generalistmodeller?			
Spørsmålet i PICO-format			
Population (pasient)	Intervention (tiltak)	Comparison (sammenligning)	Outcome (utfall)
Pasienter med personlighetsforstyrrelser	Spesialiserte behandlingsmodeller • Dialectical behavior therapy (DBT) • Mentalization-based therapy (MBT) • Schema-focused therapy (SFT) • Transference-focused therapy (TFT)	Generalistmodeller • Nederland: Guideline informed treatment (GIT) • NICE, England: Case Management Services (CSM) • APA, USA: General psychiatric management (GPM) • Steps and stairways – systems training for emotional predictability and problem solving	• Personlighetsfungering (selvfungering, identitet, selvstyring) • Interpersonlig fungering (empati, intimitet/nærhet) • Symptombelastning • Selvskading • Selvmordsforsøk • Livskvalitet • Funksjonsnivå (egenomsorg, sosialt, arbeid, fritidsaktiviteter)
Kjente relevante studier			

Database: Ovid MEDLINE(R) and Epub Ahead of Print, In-Process, In-Data-Review & Other Non-Indexed Citations, Daily and Versions <1946 to November 10, 2023>

Dato: 13.11.2023

Antall treff: 100 SO og 1035 andre

1	Dialectical Behavior Therapy/ or Mentalization-Based Therapy/ or Schema Therapy/	335
2	((("dialectical behavio*" or "dialectic behavio*" or "mentali#ation based" or mentali#ationbased or "mentali#ing based" or mentali#ingbased or "mentali#ation focused" or mentali#ationfocused or "mentali#ing focused" or mentali#ingfocused or "schema focused" or schemafocused or "schema based" or schemabased or "transference focused" or transferencefocused or "transference based" or transferencebased or "transference oriented" or transferenceoriented) adj2 (therap* or treatment* or psychotherap* or psychological or intervention* or "mental health" or approach*)).tw,kf.	1746
3	((("dialectical behavio*" or "dialectic behavio*" or "mentali#ation based" or mentali#ationbased or "mentali#ing based" or mentali#ingbased or "mentali#ation focused" or mentali#ationfocused or "mentali#ing focused" or mentali#ingfocused or "schema focused" or schemafocused or "schema based" or schemabased or "transference focused" or transferencefocused or "transference based" or transferencebased or "transference oriented" or transferenceoriented) adj2 "psycho therap*").tw,kf.	0
4	((mentali#ation or mentali#ing or Schema) adj (cognitive* or behavio*) adj (therap* or treatment* or psychotherap* or psychological or intervention* or "mental health" or approach*)).tw,kf.	0

Litteratursøk fra Bibliotek for helseforvaltningen

Dokumentasjon av søkestrategi

5	((mentali#ation or mentali#ing or Schema) adj (cognitive* or behavio*) adj "psycho therap*").tw,kf.	0
6	((mentali#ation or mentali#ing or Schema) adj "cognitive behavio*" adj (therap* or treatment* or psychotherap* or psychological or intervention* or "mental health" or approach*)).tw,kf.	4
7	((mentali#ation or mentali#ing or Schema) adj "cognitive behavio*" adj "psycho therap*").tw,kf.	0
8	((mentali#ation or mentali#ing or Schema) adj (therap* or treatment* or psychotherap* or psychological or intervention* or "mental health" or approach*)).tw,kf.	396
9	((mentali#ation or mentali#ing or Schema) adj "psycho therap*").tw,kf.	0
10	((specialist or speciali#ed) adj (approach* or model* or therap* or treatment* or psychotherap* or psychological or intervention* or "mental health")).tw,kf.	4357
11	((specialist or speciali#ed) adj "psycho therap*").tw,kf.	0
12	(DBT or MBT or SFT or TFT).tw,kf.	9942
13	("Guideline informed" or Guidelineinformed) adj2 (therap* or treatment* or psychotherap* or psychological or intervention* or "mental health" or approach*).tw,kf.	5
14	("Guideline informed" or Guidelineinformed) adj2 "psycho therap*").tw,kf.	0
15	(GIT-PD* or GITPD* or "Case Management" or CSM or SCM or "Structured clinical management" or "Good psychiatric management" or GPM or "general psychiatric management" or "Systems Training for Problem Solving" or stepps or stairways).tw,kf.	21231
16	(generalist adj (approach* or model* or therap* or treatment* or psychotherap* or psychological or intervention* or "mental health")).tw,kf.	113
17	(generalist adj "psycho therap*").tw,kf.	0
18	or/1-17	36613
19	Personality Disorders/ or Antisocial Personality Disorder/ or Borderline Personality Disorder/ or Compulsive Personality Disorder/ or Dependent Personality Disorder/ or Histrionic Personality Disorder/ or Hysteria/ or Paranoid Personality Disorder/ or Passive-Aggressive Personality Disorder/ or Schizoid Personality Disorder/ or Schizotypal Personality Disorder/ or Narcissism/	47664
20	(personality adj (disorder* or change* or disturbance*)).tw,kf.	26202
21	((Antisocial or "Anti social" or Dyssocial) adj (Behavior* or Behaviour*)).tw,kf.	4861
22	((Inadequate or "As If" or Impulseridden or "Impulse Ridden" or Sociopathic or Psychopathic or Antisocial or "Anti social" or Obsessivecompulsive or Compulsive or Obsessive or Passivedependent or Dependent or Hysterical or Paranoid or Passiveaggressive or "Passive Aggressive" or Schizoid or "cluster A" or "cluster B" or "cluster C" or "odd cluster" or "dramatic cluster" or schizothymic or schizotypal or histrionic or narcissistic or avoidant or sadistic or masochistic or Sadomasochistic or "self defeating" or Asthenic or Anankastic or negativistic or borderline) adj (Personalit* or pd?)).tw,kf.	17822
23	((Latent or Pseudopsychopathic or Incipient or Pseudoneurotic) adj Schizophrenia*).tw,kf.	98
24	(character adj (disorder* or deviation* or disturbance* or neurosis or neuroses or problem*)).tw,kf.	378
25	(social adj ("behavior disorder*" or "behaviour disorder*" or disease* or pathology)).tw,kf.	505
26	(Borderline adj (state* or psychos* or symptom* or trait*)).tw,kf.	629
27	(Hysteria or hystery or Narcissism* or narcism* or "PD cluster A" or schizoidism or schizoidia or schizothymia or "PD cluster B" or "emotional intensity disorder*" or "PD cluster C" or ((obsessional or obsessive) adj trait?) or "psychological dependenc*" or neuropsychopathy or psychopath* or Sociopath* or "Mass Psychogenic Illness*").tw,kf.	63196
28	or/19-27	113713
29	18 and 28	1625
30	limit 29 to yr="2010 -Current"	1270
31	30 not case reports.pt.	1225
32	limit 31 to (danish or english or multilingual or norwegian or swedish or undetermined)	1135
33	limit 32 to "reviews (maximizes specificity)"	75

Litteratursøk fra Bibliotek for helseforvaltningen

Dokumentasjon av søkestrategi

34	32 and (Meta-Analysis/ or Network Meta-Analysis/ or ((systematic* adj2 review*) or metaanal* or "meta anal*" or (review and ((structured or database* or systematic*) adj2 search*)) or "integrative review*" or (evidence adj2 review*)).tw,kf,bt.)	96
35	33 or 34	100
36	32 not 35	1035

Database: Embase <1974 to 2023 November 10>

Dato: 13.11.2023

Antall treff: 114 SO og 936 andre

1	dialectical behavior therapy/ or mentalization-based treatment/ or transference focused therapy/ or Schema Therapy/	1555
2	((("dialectical behavio*" or "dialectic behavio*" or "mentali#ation based" or mentali#ationbased or "mentali#ing based" or mentali#ingbased or "mentali#ation focused" or mentali#ationfocused or "mentali#ing focused" or mentali#ingfocused or "schema focused" or schemafocused or "schema based" or schemabased or "transference focused" or transferencefocused or "transference based" or transferencebased or "transference oriented" or transferenceoriented) adj2 (therap* or treatment* or psychotherap* or psychological or intervention* or "mental health" or approach*)).tw,kf.	2380
3	((("dialectical behavio*" or "dialectic behavio*" or "mentali#ation based" or mentali#ationbased or "mentali#ing based" or mentali#ingbased or "mentali#ation focused" or mentali#ationfocused or "mentali#ing focused" or mentali#ingfocused or "schema focused" or schemafocused or "schema based" or schemabased or "transference focused" or transferencefocused or "transference based" or transferencebased or "transference oriented" or transferenceoriented) adj2 "psycho therap*").tw,kf.	0
4	((mentali#ation or mentali#ing or Schema) adj (cognitive* or behavio*) adj (therap* or treatment* or psychotherap* or psychological or intervention* or "mental health" or approach*)).tw,kf.	0
5	((mentali#ation or mentali#ing or Schema) adj (cognitive* or behavio*) adj "psycho therap*").tw,kf.	0
6	((mentali#ation or mentali#ing or Schema) adj "cognitive behavio*" adj (therap* or treatment* or psychotherap* or psychological or intervention* or "mental health" or approach*)).tw,kf.	4
7	((mentali#ation or mentali#ing or Schema) adj "cognitive behavio*" adj "psycho therap*").tw,kf.	0
8	((mentali#ation or mentali#ing or Schema) adj (therap* or treatment* or psychotherap* or psychological or intervention* or "mental health" or approach*)).tw,kf.	528
9	((mentali#ation or mentali#ing or Schema) adj "psycho therap*").tw,kf.	0
10	((specialist or speciali#ed) adj (approach* or model* or therap* or treatment* or psychotherap* or psychological or intervention* or "mental health")).tw,kf.	6379
11	((specialist or speciali#ed) adj "psycho therap*").tw,kf.	1
12	(DBT or MBT or SFT or TFT).tw,kf.	13201
13	((("Guideline informed" or Guidelineinformed) adj2 (therap* or treatment* or psychotherap* or psychological or intervention* or "mental health" or approach*)).tw,kf.	7
14	((("Guideline informed" or Guidelineinformed) adj2 "psycho therap*").tw,kf.	0
15	(GIT-PD* or GITPD* or "Case Management" or CSM or SCM or "Structured clinical management" or "Good psychiatric management" or GPM or "general psychiatric management" or "Systems Training for Problem Solving" or stepps or stairways).tw,kf.	28106
16	(generalist adj (approach* or model* or therap* or treatment* or psychotherap* or psychological or intervention* or "mental health")).tw,kf.	135
17	(generalist adj "psycho therap*").tw,kf.	0
18	or/1-17	49590

Litteratursøk fra Bibliotek for helseforvaltningen

Dokumentasjon av søkestrategi

19	personality disorder/ or character disorder/ or cluster A personality disorder/ or paranoid personality disorder/ or schizoidism/ or schizotypal personality disorder/ or cluster B personality disorder/ or antisocial personality disorder/ or borderline state/ or histrionic personality disorder/ or narcissism/ or cluster C personality disorder/ or avoidant personality disorder/ or compulsive personality disorder/ or dependent personality disorder/ or passive aggressive personality disorder/ or psychopathy/ or sadistic personality disorder/ or self defeating personality disorder/ or hysteria/ or mass hysteria/	73078
20	(personality adj (disorder* or change* or disturbance*)).tw,kf.	35905
21	((Antisocial or "Anti social" or Dyssocial) adj (Behavior* or Behaviour*)).tw,kf.	5860
22	((Inadequate or "As If" or Impulseridden or "Impulse Ridden" or Sociopathic or Psychopathic or Antisocial or "Anti social" or Obsessivecompulsive or Compulsive or Obsessive or Passivedependent or Dependent or Hysterical or Paranoid or Passiveaggressive or "Passive Aggressive" or Schizoid or "cluster A" or "cluster B" or "cluster C" or "odd cluster" or "dramatic cluster" or schizothymic or schizotypal or histrionic or narcissistic or avoidant or sadistic or masochistic or Sadomasochistic or "self defeating" or Asthenic or Anankastic or negativistic or borderline) adj (Personalit* or pd?)).tw,kf.	22905
23	((Latent or Pseudopsychopathic or Incipient or Pseudoneurotic) adj Schizophrenia*).tw,kf.	89
24	(character adj (disorder* or deviation* or disturbance* or neurosis or neuroses or problem*)).tw,kf.	338
25	(social adj ("behavior disorder*" or "behaviour disorder*" or disease* or pathology)).tw,kf.	545
26	(Borderline adj (state* or psychos* or symptom* or trait*)).tw,kf.	802
27	(Hysteria or hystery or Narcissism* or narcism* or "PD cluster A" or schizoidism or schizoidia or schizothymia or "PD cluster B" or "emotional intensity disorder*" or "PD cluster C" or ((obsessional or obsessive) adj trait?) or "psychological dependenc*" or neuropsychopathy or psychopath* or Sociopath* or "Mass Psychogenic Illness*").tw,kf.	81742
28	or/19-27	152320
29	18 and 28	2523
30	limit 29 to yr="2010 -Current"	1961
31	limit 30 to embase	1158
32	limit 31 to (danish or english or norwegian or polyglot or swedish)	1050
33	limit 32 to "reviews (maximizes specificity)"	72
34	32 and (exp Meta-Analysis/ or "systematic review"/ or ((systematic* adj2 review*) or metaanal* or "meta anal*" or (review and ((structured or database* or systematic*) adj2 search*)) or "integrative review*" or (evidence adj2 review*)).tw,kf,bt.)	114
35	33 or 34	114
36	32 not 35	936

Database: APA PsycInfo <1806 to October Week 5 2023>

Dato: 13.11.2023

Kommentar: For å unngå treff i referanselister, er det søkt tittel (ti) og abstract (ab) fremfor textword (tw). tm betyr Tests & Measures

Antall treff: 108 SO, 1596 andre

1	dialectical behavior therapy/ or mentalization-based interventions/ or schema therapy/	2442
2	((("dialectical behavio*" or "dialectic behavio*" or "mentali#ation based" or mentali#ationbased or "mentali#ing based" or mentali#ingbased or "mentali#ation focused" or mentali#ationfocused or "mentali#ing focused" or mentali#ingfocused or "schema focused" or schemafocused or "schema based" or schemabased or "transference focused" or transferencefocused or "transference based" or transferencebased or "transference oriented" or transferenceoriented) adj2 (therap* or treatment* or psychotherap* or psychological or intervention* or "mental health" or approach*)).ti,ab,tm.	3656

Litteratursøk fra Bibliotek for helseforvaltningen

Dokumentasjon av søkestrategi

3	((("dialectical behavio*" or "dialectic behavio*" or "mentali#ation based" or mentali#ationbased or "mentali#ing based" or mentali#ingbased or "mentali#ation focused" or mentali#ationfocused or "mentali#ing focused" or mentali#ingfocused or "schema focused" or schemafocused or "schema based" or schemabased or "transference focused" or transferencefocused or "transference based" or transferencebased or "transference oriented" or transferenceoriented) adj2 "psycho therap*").ti,ab,tm.	0
4	((mentali#ation or mentali#ing or Schema) adj (cognitive* or behavio*) adj (therap* or treatment* or psychotherap* or psychological or intervention* or "mental health" or approach*)).ti,ab,tm.	5
5	((mentali#ation or mentali#ing or Schema) adj (cognitive* or behavio*) adj "psycho therap*").ti,ab,tm.	0
6	((mentali#ation or mentali#ing or Schema) adj "cognitive behavio*" adj (therap* or treatment* or psychotherap* or psychological or intervention* or "mental health" or approach*)).ti,ab,tm.	6
7	((mentali#ation or mentali#ing or Schema) adj "cognitive behavio*" adj "psycho therap*").ti,ab,tm.	0
8	((mentali#ation or mentali#ing or Schema) adj (therap* or treatment* or psychotherap* or psychological or intervention* or "mental health" or approach*)).ti,ab,tm.	763
9	((mentali#ation or mentali#ing or Schema) adj "psycho therap*").ti,ab,tm.	0
10	((specialist or speciali#ed) adj (approach* or model* or therap* or treatment* or psychotherap* or psychological or intervention* or "mental health")).ti,ab,tm.	2879
11	((specialist or speciali#ed) adj "psycho therap*").ti,ab,tm.	0
12	(DBT or MBT or SFT or TFT).ti,ab,tm.	3099
13	((("Guideline informed" or Guidelineinformed) adj2 (therap* or treatment* or psychotherap* or psychological or intervention* or "mental health" or approach*)).ti,ab,tm.	3
14	((("Guideline informed" or Guidelineinformed) adj2 "psycho therap*").ti,ab,tm.	0
15	(GIT-PD* or GITPD* or "Case Management" or CSM or SCM or "Structured clinical management" or "Good psychiatric management" or GPM or "general psychiatric management" or "Systems Training for Problem Solving" or stepps or stairways).ti,ab,tm.	7323
16	(generalist adj (approach* or model* or therap* or treatment* or psychotherap* or psychological or intervention* or "mental health")).ti,ab,tm.	100
17	(generalist adj "psycho therap*").ti,ab,tm.	0
18	or/1-17	15538
19	Personality Disorders/ or Antisocial Personality Disorder/ or Avoidant Personality Disorder/ or Borderline Personality Disorder/ or Dependent Personality Disorder/ or Histrionic Personality Disorder/ or Hysteria/ or Mass Hysteria/ or Narcissistic Personality Disorder/ or Obsessive Compulsive Personality Disorder/ or Paranoid Personality Disorder/ or Passive-Aggressive Personality Disorder/ or Sadomasochistic Personality/ or Masochistic Personality/ or Schizoid Personality Disorder/ or Schizotypal Personality Disorder/ or Psychopathy/ or Borderline States/	39338
20	(personality adj (disorder* or change* or disturbance*)).ti,ab.	38489
21	((Antisocial or "Anti social" or Dyssocial) adj (Behavior* or Behaviour*)).ti,ab.	9545
22	((Inadequate or "As If" or Impulseridden or "Impulse Ridden" or Sociopathic or Psychopathic or Antisocial or "Anti social" or Obsessivecompulsive or Compulsive or Obsessive or Passivedependent or Dependent or Hysterical or Paranoid or Passiveaggressive or "Passive Aggressive" or Schizoid or "cluster A" or "cluster B" or "cluster C" or "odd cluster" or "dramatic cluster" or schizothymic or schizotypal or histrionic or narcissistic or avoidant or sadistic or masochistic or Sadomasochistic or "self defeating" or Asthenic or Anankastic or negativistic or borderline) adj (Personalit* or pd?)).ti,ab.	25932
23	((Latent or Pseudopsychopathic or Incipient or Pseudoneurotic) adj Schizophrenia*).ti,ab.	125
24	(character adj (disorder* or deviation* or disturbance* or neurosis or neuroses or problem*)).ti,ab.	1186
25	(social adj ("behavior disorder*" or "behaviour disorder*" or disease* or pathology)).ti,ab.	356
26	(Borderline adj (state* or psychos* or symptom* or trait*)).ti,ab.	979

Litteratursøk fra Bibliotek for helseforvaltningen

Dokumentasjon av søkestrategi

27	(Hysteria or hystery or Narcissism* or narciss* or "PD cluster A" or schizoidism or schizoidia or schizothymia or "PD cluster B" or "emotional intensity disorder*" or "PD cluster C" or ((obsessional or obsessive) adj trait?) or "psychological dependenc*" or neuropsychopathy or psychopath* or Sociopath* or "Mass Psychogenic Illness*").ti,ab.	96598
28	or/19-27	147045
29	18 and 28	2826
30	limit 29 to yr="2010 -Current"	2009
31	limit 30 to (danish or english or norwegian or swedish)	1732
32	limit 31 to "reviews (maximizes specificity)"	75
33	31 and ((meta analysis or "systematic review").md. or meta analysis/ or ((systematic* adj2 review*) or metaanal* or "meta anal*" or (review and ((structured or database* or systematic*) adj2 search*)) or "integrative review*" or (evidence adj2 review*)).tw.)	94
34	32 or 33	110
35	31 not 34	1622

Database: Web of Science Core Collection: Science Citation Index Expanded (SCI-EXPANDED) --1987-present, Social Sciences Citation Index (SSCI) --1987-present, Arts & Humanities Citation Index (A&HCI) --1987-present, Emerging Sources Citation Index (ESCI) --2015-present

Kommentar: Grunnet stor andel feiltreff ble søket begrenset til søk i tittel (TI), abstract (AB) og forfatters nøkkelord (AK). Feltet TS, som vi vanligvis bruker, inkluderer Keyword Plus, som henter nøkkelordene fra referanselisten til artikkelen.

Dato: 13.11.2023

Antall treff: 95 SO, 1177 andre

1	TI=((("dialectical behavio*" or "dialectic behavio*" or "mentali?ation based" or mentali?ationbased or "mentali?ing based" or mentali?ingbased or "mentali?ation focused" or mentali?ationfocused or "mentali?ing focused" or mentali?ingfocused or "schema focused" or schemafocused or "schema based" or schemabased or "transference focused" or transferencefocused or "transference based" or transferencebased or "transference oriented" or transferenceoriented) NEAR/1 (therap* or treatment* or psychotherap* or "psycho therap*" or psychological or intervention* or "mental health" or approach*)) OR AB=((("dialectical behavio*" or "dialectic behavio*" or "mentali?ation based" or mentali?ationbased or "mentali?ing based" or mentali?ingbased or "mentali?ation focused" or mentali?ationfocused or "mentali?ing focused" or mentali?ingfocused or "schema focused" or schemafocused or "schema based" or schemabased or "transference focused" or transferencefocused or "transference based" or transferencebased or "transference oriented" or transferenceoriented) NEAR/1 (therap* or treatment* or psychotherap* or "psycho therap*" or psychological or intervention* or "mental health" or approach*)) OR AK=((("dialectical behavio*" or "dialectic behavio*" or "mentali?ation based" or mentali?ationbased or "mentali?ing based" or mentali?ingbased or "mentali?ation focused" or mentali?ationfocused or "mentali?ing focused" or mentali?ingfocused or "schema focused" or schemafocused or "schema based" or schemabased or "transference focused" or transferencefocused or "transference based" or transferencebased or "transference oriented" or transferenceoriented) NEAR/1 (therap* or treatment* or psychotherap* or "psycho therap*" or psychological or intervention* or "mental health" or approach*))	2377
2	TI=((mentali?ation or mentali?ing or Schema) NEAR/0 (cognitive* or behavio*) NEAR/0 (therap* or treatment* or psychotherap* or "psycho therap*" or psychological or intervention* or "mental health" or approach*)) OR AB=((mentali?ation or mentali?ing or Schema) NEAR/0 (cognitive* or behavio*) NEAR/0 (therap* or treatment* or psychotherap* or "psycho therap*" or psychological or intervention* or "mental health" or approach*)) OR AK=((mentali?ation or mentali?ing or Schema) NEAR/0 (cognitive* or behavio*) NEAR/0 (therap* or treatment* or psychotherap* or "psycho therap*" or psychological or intervention* or "mental health" or approach*))	4

Litteratursøk fra Bibliotek for helseforvaltningen

Dokumentasjon av søkestrategi

	<i>Exact search</i>	
3	TI=((mentali?ation or mentali?ing or Schema) NEAR/0 "cognitive behavio*" NEAR/0 (therap* or treatment* or psychotherap* or "psycho therap*" or psychological or intervention* or "mental health" or approach*)) OR AB=((mentali?ation or mentali?ing or Schema) NEAR/0 "cognitive behavio*" NEAR/0 (therap* or treatment* or psychotherap* or "psycho therap*" or psychological or intervention* or "mental health" or approach*)) OR AK=((mentali?ation or mentali?ing or Schema) NEAR/0 "cognitive behavio*" NEAR/0 (therap* or treatment* or psychotherap* or "psycho therap*" or psychological or intervention* or "mental health" or approach*))	4
4	<i>Exact search</i>	751
5	TI=((specialist or speciali?ed) NEAR/0 (approach* or model* or therap* or treatment* or psychotherap* or "psycho therap*" or psychological or intervention* or "mental health" or approach*)) OR AB=((specialist or speciali?ed) NEAR/0 (approach* or model* or therap* or treatment* or psychotherap* or "psycho therap*" or psychological or intervention* or "mental health" or approach*)) OR AK=((specialist or speciali?ed) NEAR/0 (approach* or model* or therap* or treatment* or psychotherap* or "psycho therap*" or psychological or intervention* or "mental health" or approach*))	5106
6	<i>Exact search</i>	20632
7	TI=(("Guideline informed" or Guidelineinformed) NEAR/1 (therap* or treatment* or psychotherap* or "psycho therap*" or psychological or intervention* or "mental health" or approach*)) OR AB=(("Guideline informed" or Guidelineinformed) NEAR/1 (therap* or treatment* or psychotherap* or "psycho therap*" or psychological or intervention* or "mental health" or approach*)) OR AK=(("Guideline informed" or Guidelineinformed) NEAR/1 (therap* or treatment* or psychotherap* or "psycho therap*" or psychological or intervention* or "mental health" or approach*))	3
8	<i>Exact search</i>	28036
9	TI=(GIT-PD* or GITPD* or "Case Management" or CSM or SCM or "Structured clinical management" or "Good psychiatric management" or GPM or "general psychiatric management" or "Systems Training for Problem Solving" or stepps or stairways) OR AB=(GIT-PD* or GITPD* or "Case Management" or CSM or SCM or "Structured clinical management" or "Good psychiatric management" or GPM or "general psychiatric management" or "Systems Training for Problem Solving" or stepps or stairways) OR AK=(GIT-PD* or GITPD* or "Case Management" or CSM or SCM or "Structured clinical management" or "Good psychiatric management" or GPM or "general psychiatric management" or "Systems Training for Problem Solving" or stepps or stairways)	188
10	<i>Exact search</i>	55690
11	#9 OR #8 OR #7 OR #6 OR #5 OR #4 OR #3 OR #2 OR #1	29644
12	TI=(personality NEAR/0 (disorder* or change* or disturbance*)) OR AB=(personality NEAR/0 (disorder* or change* or disturbance*)) OR AK=(personality NEAR/0 (disorder* or change* or disturbance*))	7251
	<i>Exact search</i>	

Litteratursøk fra Bibliotek for helseforvaltningen

Dokumentasjon av søkestrategi

13	TI=((Inadequate or "As If" or Impulseridden or "Impulse Ridden" or Sociopathic or Psychopathic or Antisocial or "Anti social" or Obsessivecompulsive or Compulsive or Obsessive or Passivedependent or Dependent or Hysterical or Paranoid or Passiveaggressive or "Passive Aggressive" or Schizoid or "cluster A" or "cluster B" or "cluster C" or "odd cluster" or "dramatic cluster" or schizothymic or schizotypal or histrionic or narcissistic or avoidant or sadistic or masochistic or Sadomasochistic or "self defeating" or Asthenic or Anankastic or negativistic or borderline) NEAR/0 (Personalit* or pd or pds)) OR AB=((Inadequate or "As If" or Impulseridden or "Impulse Ridden" or Sociopathic or Psychopathic or Antisocial or "Anti social" or Obsessivecompulsive or Compulsive or Obsessive or Passivedependent or Dependent or Hysterical or Paranoid or Passiveaggressive or "Passive Aggressive" or Schizoid or "cluster A" or "cluster B" or "cluster C" or "odd cluster" or "dramatic cluster" or schizothymic or schizotypal or histrionic or narcissistic or avoidant or sadistic or masochistic or Sadomasochistic or "self defeating" or Asthenic or Anankastic or negativistic or borderline) NEAR/0 (Personalit* or pd or pds)) OR AK=((Inadequate or "As If" or Impulseridden or "Impulse Ridden" or Sociopathic or Psychopathic or Antisocial or "Anti social" or Obsessivecompulsive or Compulsive or Obsessive or Passivedependent or Dependent or Hysterical or Paranoid or Passiveaggressive or "Passive Aggressive" or Schizoid or "cluster A" or "cluster B" or "cluster C" or "odd cluster" or "dramatic cluster" or schizothymic or schizotypal or histrionic or narcissistic or avoidant or sadistic or masochistic or Sadomasochistic or "self defeating" or Asthenic or Anankastic or negativistic or borderline) NEAR/0 (Personalit* or pd or pds)) <i>Exact search</i>	19714
14	TI=((Latent or Pseudopsychopathic or Incipient or Pseudoneurotic) NEAR/0 Schizophrenia*) OR AB=((Latent or Pseudopsychopathic or Incipient or Pseudoneurotic) NEAR/0 Schizophrenia*) OR AK=((Latent or Pseudopsychopathic or Incipient or Pseudoneurotic) NEAR/0 Schizophrenia*) <i>Exact search</i>	46
15	TI=(character NEAR/0 (disorder* or deviation* or disturbance* or neurosis or neuroses or problem*)) OR AB=(character NEAR/0 (disorder* or deviation* or disturbance* or neurosis or neuroses or problem*)) OR AK=(character NEAR/0 (disorder* or deviation* or disturbance* or neurosis or neuroses or problem*)) <i>Exact search</i>	403
16	TI=(social NEAR/0 ("behavior disorder*" or "behaviour disorder*" or disease* or pathology)) OR AB=(social NEAR/0 ("behavior disorder*" or "behaviour disorder*" or disease* or pathology)) OR AK=(social NEAR/0 ("behavior disorder*" or "behaviour disorder*" or disease* or pathology)) <i>Exact search</i>	799
17	TI=(Borderline NEAR/0 (state* or psychos* or symptom* or trait*)) OR AB=(Borderline NEAR/0 (state* or psychos* or symptom* or trait*)) OR AK=(Borderline NEAR/0 (state* or psychos* or symptom* or trait*)) <i>Exact search</i>	687
18	TI=(Hysteria or hystery or Narcissism* or narciss* or "PD cluster A" or schizoidism or schizoidia or schizothymia or "PD cluster B" or "emotional intensity disorder*" or "PD cluster C" or ((obsessional or obsessive) NEAR/0 trait\$) or "psychological dependenc*" or neuropsychopathy or psychopath* or Sociopath* or "Mass Psychogenic Illness*") OR AB=(Hysteria or hystery or Narcissism* or narciss* or "PD cluster A" or schizoidism or schizoidia or schizothymia or "PD cluster B" or "emotional intensity disorder*" or "PD cluster C" or ((obsessional or obsessive) NEAR/0 trait\$) or "psychological dependenc*" or neuropsychopathy or psychopath* or Sociopath* or "Mass Psychogenic Illness*") OR AK=(Hysteria or hystery or Narcissism* or narciss* or "PD cluster A" or schizoidism or schizoidia or schizothymia or "PD cluster B" or "emotional intensity disorder*" or "PD cluster C" or ((obsessional or obsessive) NEAR/0 trait\$) or "psychological dependenc*" or neuropsychopathy or psychopath* or Sociopath* or "Mass Psychogenic Illness*") <i>Exact search</i>	68906
19	#18 OR #17 OR #16 OR #15 OR #14 OR #13 OR #12 OR #11	103626
20	#19 AND #10	1855
21	#19 AND #10 Timespan (publication date): 2010-01-01 to 2023-12-31	1451
22	#21 AND LA=(Norwegian OR Danish OR Swedish OR Multiple Languages OR English)	1322
23	#22 NOT DT=(Meeting Abstract)	1272

Litteratursøk fra Bibliotek for helseforvaltningen

Dokumentasjon av søkestrategi

24	#23 AND (TS=((("systematic*" NEAR/1 "review*") or ("review" and (("structured" or "database*" or "systematic*") NEAR/1 "search*")) or "integrative review*" or ("evidence" NEAR/1 "review*")) OR TI=("metaanal*" or "meta anal*") OR AB=("metaanal*" or "meta anal*"))	95
25	#23 NOT #24	1177

Database: Epistemonikos

Dato: 13.11.2023

Antall treff: 8 SO, 317 andre – uten interne dubletter

SØK 1.1 - Title: ("dialectical behavior" or "dialectical behaviors" or "dialectical behaviour" or "dialectical behaviours" or mentalisation or mentalisationbased or mentalising or mentalisingbased or mentalisationfocused or mentalisingfocused or mentalization or mentalizationbased or mentalizing or mentalizingbased or mentalizationfocused or mentalizingfocused or schema or schemafocused or schemabased or "transference focused" or transferencefocused or "transference based" or transferencebased or "transference oriented" or transferenceoriented) AND (therapy or therapies or treatment or treatments or psychotherapy or psychotherapies or "psycho therapy" or "psycho therapies" or psychological or intervention or interventions or "mental health" or approach*) AND ("personality disorder" or "personality change" or "personality disturbance" or "personality disorders" or "personality changes" or "personality disturbances" or "Antisocial Behavior" or "Antisocial Behaviour" or "Antisocial Behaviors" or "Antisocial Behaviours" or "Anti social Behavior" or "Anti social Behaviour" or "Anti social Behaviors" or "Anti social Behaviours" or "Dyssocial Behavior" or "Dyssocial Behaviour" or "Dyssocial Behaviors" or "Dyssocial Behaviours" or "Latent Schizophrenia" or "Pseudopsychopathic Schizophrenia" or "Incipient Schizophrenia" or "Pseudoneurotic Schizophrenia" or "Latent Schizophrenias" or "Pseudopsychopathic Schizophrenias" or "Incipient Schizophrenias" or "Pseudoneurotic Schizophrenias") – **avgrenset 2010-2023 – 83 treff – 10 Oversikter (0 Broad synthesis, 2 Structured summary, 8 Systematic reviews), 73 Primary study**

SØK 1.2 - Abstract: ("dialectical behavior" or "dialectical behaviors" or "dialectical behaviour" or "dialectical behaviours" or mentalisation or mentalisationbased or mentalising or mentalisingbased or mentalisationfocused or mentalisingfocused or mentalization or mentalizationbased or mentalizing or mentalizingbased or mentalizationfocused or mentalizingfocused or schema or schemafocused or schemabased or "transference focused" or transferencefocused or "transference based" or transferencebased or "transference oriented" or transferenceoriented) AND (therapy or therapies or treatment or treatments or psychotherapy or psychotherapies or "psycho therapy" or "psycho therapies" or psychological or intervention or interventions or "mental health" or approach*) AND ("personality disorder" or "personality change" or "personality disturbance" or "personality disorders" or "personality changes" or "personality disturbances" or "Antisocial Behavior" or "Antisocial Behaviour" or "Antisocial Behaviors" or "Antisocial Behaviours" or "Anti social Behavior" or "Anti social Behaviour" or "Anti social Behaviors" or "Anti social Behaviours" or "Dyssocial Behavior" or "Dyssocial Behaviour" or "Dyssocial Behaviors" or "Dyssocial Behaviours" or "Latent Schizophrenia" or "Pseudopsychopathic Schizophrenia" or "Incipient Schizophrenia" or "Pseudoneurotic Schizophrenia" or "Latent Schizophrenias" or "Pseudopsychopathic Schizophrenias" or "Incipient Schizophrenias" or "Pseudoneurotic Schizophrenias") – **avgrenset 2010-2023 – 226 treff – 54 Oversikter (1 Broad synthesis, 1 Structured summary, 52 Systematic reviews), 172 Primary study**

SØK 2.1 - Title: ("dialectical behavior" or "dialectical behaviors" or "dialectical behaviour" or "dialectical behaviours" or mentalisation or mentalisationbased or mentalising or mentalisingbased or mentalisationfocused or mentalisingfocused or mentalization or mentalizationbased or mentalizing or mentalizingbased or mentalizationfocused or mentalizingfocused or schema or schemafocused or schemabased or "transference focused" or transferencefocused or "transference based" or transferencebased or "transference oriented" or transferenceoriented) AND (therapy or therapies or treatment or treatments or psychotherapy or psychotherapies or "psycho therapy" or "psycho therapies" or psychological or intervention or interventions or "mental health" or approach*) AND ("character disorder" or "character disorders" or "character deviation" or "character deviations" or "character disturbance" or "character disturbances" or "character neurosis" or "character neuroses" or "character problem" or "character problems" or "social behavior disorder" or "social behavior disorders" or "social behaviour disorder" or "social behaviour disorders")

or "social disease" or "social diseases" or "social pathology" or "Borderline state" or "Borderline states" or "Borderline psychoses" or "Borderline psychosis" or "Borderline symptom" or "Borderline symptoms" or "Borderline trait" or "Borderline traits" or Hysteria or hysteria or Narcissism* or narcissism* or "PD cluster A" or schizoidism or schizoidia or schizothymia or "PD cluster B" or "emotional intensity disorder" or "emotional intensity disorders" or "PD cluster C" or "obsessional trait" or "obsessional traits" or "obsessive trait" or "obsessive traits" or "psychological dependency" or "psychological dependence" or "psychological dependences" or neuropsychopathy or psychopath* or Sociopath* or "Mass Psychogenic Illness" or "Mass Psychogenic Illnesses") – **avgrenset 2010-2023 – 2 treff – 0 Oversikter (0 Broad synthesis, 0 Structured summary, 0 Systematic reviews), 2 Primary study**

SØK 2.2 - Abstract: ("dialectical behavior" or "dialectical behaviors" or "dialectical behaviour" or "dialectical behaviours" or mentalisation or mentalisationbased or mentalising or mentalisingbased or mentalisationfocused or mentalisingfocused or mentalization or mentalizationbased or mentalizing or mentalizingbased or mentalizationfocused or mentalizingfocused or schema or schemafocused or schemabased or "transference focused" or transferencefocused or "transference based" or transferencebased or "transference oriented" or transferenceoriented) AND (therapy or therapies or treatment or treatments or psychotherapy or psychotherapies or "psycho therapy" or "psycho therapies" or psychological or intervention or interventions or "mental health" or approach*) AND ("character disorder" or "character disorders" or "character deviation" or "character deviations" or "character disturbance" or "character disturbances" or "character neurosis" or "character neuroses" or "character problem" or "character problems" or "social behavior disorder" or "social behavior disorders" or "social behaviour disorder" or "social behaviour disorders" or "social disease" or "social diseases" or "social pathology" or "Borderline state" or "Borderline states" or "Borderline psychoses" or "Borderline psychosis" or "Borderline symptom" or "Borderline symptoms" or "Borderline trait" or "Borderline traits" or Hysteria or hysteria or Narcissism* or narcissism* or "PD cluster A" or schizoidism or schizoidia or schizothymia or "PD cluster B" or "emotional intensity disorder" or "emotional intensity disorders" or "PD cluster C" or "obsessional trait" or "obsessional traits" or "obsessive trait" or "obsessive traits" or "psychological dependency" or "psychological dependence" or "psychological dependences" or neuropsychopathy or psychopath* or Sociopath* or "Mass Psychogenic Illness" or "Mass Psychogenic Illnesses") – **avgrenset 2010-2023 – 70 treff – 12 Oversikter (1 Broad synthesis, 0 Structured summary, 11 Systematic reviews), 58 Primary study**

SØK 3.1 - Title: ("specialist approach" or "specialist approaches" or "specialist model" or "specialist models" or "specialist therapy" or "specialist therapies" or "specialist treatment" or "specialist treatments" or "specialist psychotherapy" or "specialist psychotherapies" or "specialist psycho therapy" or "specialist psycho therapies" or "specialist psychological" or "specialist intervention" or "specialist interventions" or "specialist mental health" or "specialised approach" or "specialised approaches" or "specialised model" or "specialised models" or "specialised therapy" or "specialised therapies" or "specialised treatment" or "specialised treatments" or "specialised psychotherapy" or "specialised psychotherapies" or "specialised psycho therapy" or "specialised psycho therapies" or "specialised psychological" or "specialised intervention" or "specialised interventions" or "specialised mental health" or "specialized approach" or "specialized approaches" or "specialized model" or "specialized models" or "specialized therapy" or "specialized therapies" or "specialized treatment" or "specialized treatments" or "specialized psychotherapy" or "specialized psychotherapies" or "specialized psycho therapy" or "specialized psycho therapies" or "specialized psychological" or "specialized intervention" or "specialized interventions" or "specialized mental health" or DBT or MBT or SFT or TFT) AND ("personality disorder" or "personality change" or "personality disturbance" or "personality disorders" or "personality changes" or "personality disturbances" or "Antisocial Behavior" or "Antisocial Behaviour" or "Antisocial Behaviors" or "Antisocial Behaviours" or "Anti social Behavior" or "Anti social Behaviour" or "Anti social Behaviors" or "Anti social Behaviours" or "Dyssocial Behavior" or "Dyssocial Behaviour" or "Dyssocial Behaviors" or "Dyssocial Behaviours" or "Latent Schizophrenia" or "Pseudopsychopathic Schizophrenia" or "Incipient Schizophrenia" or "Pseudoneurotic Schizophrenia" or "Latent Schizophrenias" or "Pseudopsychopathic Schizophrenias" or "Incipient Schizophrenias" or "Pseudoneurotic Schizophrenias") – **avgrenset 2010-2023 – 8 treff – 1 Oversikter (0 Broad synthesis, 0 Structured summary, 1 Systematic reviews), 7 Primary study**

SØK 3.2 - Abstract: ("specialist approach" or "specialist approaches" or "specialist model" or "specialist models" or "specialist therapy" or "specialist therapies" or "specialist treatment" or "specialist treatments" or

"specialist psychotherapy" or "specialist psychotherapies" or "specialist psycho therapy" or "specialist psycho therapies" or "specialist psychological" or "specialist intervention" or "specialist interventions" or "specialist mental health" or "specialised approach" or "specialised approaches" or "specialised model" or "specialised models" or "specialised therapy" or "specialised therapies" or "specialised treatment" or "specialised treatments" or "specialised psychotherapy" or "specialised psychotherapies" or "specialised psycho therapy" or "specialised psycho therapies" or "specialised psychological" or "specialised intervention" or "specialised interventions" or "specialised mental health" or "specialized approach" or "specialized approaches" or "specialized model" or "specialized models" or "specialized therapy" or "specialized therapies" or "specialized treatment" or "specialized treatments" or "specialized psychotherapy" or "specialized psychotherapies" or "specialized psycho therapy" or "specialized psycho therapies" or "specialized psychological" or "specialized intervention" or "specialized interventions" or "specialized mental health" or DBT or MBT or SFT or TFT) AND ("personality disorder" or "personality change" or "personality disturbance" or "personality disorders" or "personality changes" or "personality disturbances" or "Antisocial Behavior" or "Antisocial Behaviour" or "Antisocial Behaviors" or "Antisocial Behaviours" or "Anti social Behavior" or "Anti social Behaviour" or "Anti social Behaviors" or "Anti social Behaviours" or "Dyssocial Behavior" or "Dyssocial Behaviour" or "Dyssocial Behaviors" or "Dyssocial Behaviours" or "Latent Schizophrenia" or "Pseudopsychopathic Schizophrenia" or "Incipient Schizophrenia" or "Pseudoneurotic Schizophrenia" or "Latent Schizophrenias" or "Pseudopsychopathic Schizophrenias" or "Incipient Schizophrenias" or "Pseudoneurotic Schizophrenias") – **avgrenset 2010-2023 – 191 treff – 43 Oversikter (2 Broad synthesis, 1 Structured summary, 40 Systematic reviews), 148 Primary study**

SØK 4.1 - Title: ("specialist approach" or "specialist approaches" or "specialist model" or "specialist models" or "specialist therapy" or "specialist therapies" or "specialist treatment" or "specialist treatments" or "specialist psychotherapy" or "specialist psychotherapies" or "specialist psycho therapy" or "specialist psycho therapies" or "specialist psychological" or "specialist intervention" or "specialist interventions" or "specialist mental health" or "specialised approach" or "specialised approaches" or "specialised model" or "specialised models" or "specialised therapy" or "specialised therapies" or "specialised treatment" or "specialised treatments" or "specialised psychotherapy" or "specialised psychotherapies" or "specialised psycho therapy" or "specialised psycho therapies" or "specialised psychological" or "specialised intervention" or "specialised interventions" or "specialised mental health" or "specialized approach" or "specialized approaches" or "specialized model" or "specialized models" or "specialized therapy" or "specialized therapies" or "specialized treatment" or "specialized treatments" or "specialized psychotherapy" or "specialized psychotherapies" or "specialized psycho therapy" or "specialized psycho therapies" or "specialized psychological" or "specialized intervention" or "specialized interventions" or "specialized mental health" or DBT or MBT or SFT or TFT) AND ("character disorder" or "character disorders" or "character deviation" or "character deviations" or "character disturbance" or "character disturbances" or "character neurosis" or "character neuroses" or "character problem" or "character problems" or "social behavior disorder" or "social behavior disorders" or "social behaviour disorder" or "social behaviour disorders" or "social disease" or "social diseases" or "social pathology" or "Borderline state" or "Borderline states" or "Borderline psychoses" or "Borderline psychosis" or "Borderline symptom" or "Borderline symptoms" or "Borderline trait" or "Borderline traits" or Hysteria or hysteria or Narcissism* or narcissism* or "PD cluster A" or schizoidism or schizoidia or schizothymia or "PD cluster B" or "emotional intensity disorder" or "emotional intensity disorders" or "PD cluster C" or "obsessional trait" or "obsessional traits" or "obsessive trait" or "obsessive traits" or "psychological dependency" or "psychological dependence" or "psychological dependences" or neuropsychopathy or psychopath* or Sociopath* or "Mass Psychogenic Illness" or "Mass Psychogenic Illnesses") – **avgrenset 2010-2023 – 0 treff – 0 Oversikter (0 Broad synthesis, 0 Structured summary, 0 Systematic reviews), 0 Primary study**

SØK 4.2 - Abstract: ("specialist approach" or "specialist approaches" or "specialist model" or "specialist models" or "specialist therapy" or "specialist therapies" or "specialist treatment" or "specialist treatments" or "specialist psychotherapy" or "specialist psychotherapies" or "specialist psycho therapy" or "specialist psycho therapies" or "specialist psychological" or "specialist intervention" or "specialist interventions" or "specialist mental health" or "specialised approach" or "specialised approaches" or "specialised model" or "specialised models" or "specialised therapy" or "specialised therapies" or "specialised treatment" or "specialised treatments" or "specialised psychotherapy" or "specialised psychotherapies" or "specialised psycho therapy" or "specialised psycho therapies" or "specialised psychological" or "specialised intervention" or "specialised interventions" or "specialised mental health" or "specialized approach" or "specialized approaches" or

"specialized model" or "specialized models" or "specialized therapy" or "specialized therapies" or "specialized treatment" or "specialized treatments" or "specialized psychotherapy" or "specialized psychotherapies" or "specialized psycho therapy" or "specialized psycho therapies" or "specialized psychological" or "specialized intervention" or "specialized interventions" or "specialized mental health" or DBT or MBT or SFT or TFT) AND ("character disorder" or "character disorders" or "character deviation" or "character deviations" or "character disturbance" or "character disturbances" or "character neurosis" or "character neuroses" or "character problem" or "character problems" or "social behavior disorder" or "social behavior disorders" or "social behaviour disorder" or "social behaviour disorders" or "social disease" or "social diseases" or "social pathology" or "Borderline state" or "Borderline states" or "Borderline psychoses" or "Borderline psychosis" or "Borderline symptom" or "Borderline symptoms" or "Borderline trait" or "Borderline traits" or Hysteria or hystery or Narcissism* or narciss* or "PD cluster A" or schizoidism or schizoidia or schizothymia or "PD cluster B" or "emotional intensity disorder" or "emotional intensity disorders" or "PD cluster C" or "obsessional trait" or "obsessional traits" or "obsessive trait" or "obsessive traits" or "psychological dependency" or "psychological dependence" or "psychological dependences" or neuropsychopathy or psychopath* or Sociopath* or "Mass Psychogenic Illness" or "Mass Psychogenic Illnesses") – **avgrenset 2010-2023 – 68 treff – 14 Oversikter (0 Broad synthesis, 0 Structured summary, 14 Systematic reviews), 54 Primary study**

SØK 5.1 - Title: ("Guideline informed therapy" or "Guideline informed therapies" or "Guideline informed treatment" or "Guideline informed treatments" or "Guideline informed psychotherapy" or "Guideline informed psychotherapies" or "Guideline informed psycho therapy" or "Guideline informed psycho therapies" or "Guideline informed psychological" or "Guideline informed intervention" or "Guideline informed interventions" or "Guideline informed mental health" or "Guideline informed approach" or "Guideline informed approaches" or "Guidelineinformed therapy" or "Guidelineinformed therapies" or "Guidelineinformed treatment" or "Guidelineinformed treatments" or "Guidelineinformed psychotherapy" or "Guidelineinformed psychotherapies" or "Guidelineinformed psycho therapy" or "Guidelineinformed psycho therapies" or "Guidelineinformed psychological" or "Guidelineinformed intervention" or "Guidelineinformed interventions" or "Guidelineinformed mental health" or "Guidelineinformed approach" or "Guidelineinformed approaches" or "GIT-PD" or "GIT-PDs" or GITPD* or "Case Management" or CSM or SCM or "Structured clinical management" or "Good psychiatric management" or GPM or "general psychiatric management" or "Systems Training for Problem Solving" or steps or stairways or "generalist approach" or "generalist approaches" or "generalist model" or "generalist models" or "generalist therapy" or "generalist therapies" or "generalist treatment" or "generalist treatments" or "generalist psychotherapy" or "generalist psychotherapies" or "generalist psycho therapy" or "generalist psycho therapies" or "generalist psychological" or "generalist intervention" or "generalist interventions" or "generalist mental health") AND ("personality disorder" or "personality change" or "personality disturbance" or "personality disorders" or "personality changes" or "personality disturbances" or "Antisocial Behavior" or "Antisocial Behaviour" or "Antisocial Behaviors" or "Antisocial Behaviours" or "Anti social Behavior" or "Anti social Behaviour" or "Anti social Behaviors" or "Anti social Behaviours" or "Dyssocial Behavior" or "Dyssocial Behaviour" or "Dyssocial Behaviors" or "Dyssocial Behaviours" or "Latent Schizophrenia" or "Pseudopsychopathic Schizophrenia" or "Incipient Schizophrenia" or "Pseudoneurotic Schizophrenia" or "Latent Schizophrenias" or "Pseudopsychopathic Schizophrenias" or "Incipient Schizophrenias" or "Pseudoneurotic Schizophrenias") – **avgrenset 2010-2023 – 11 treff – 10 Oversikter (0 Broad synthesis, 1 Structured summary, 1 Systematic reviews), 9 Primary study**

SØK 5.2 - Abstract: ("Guideline informed therapy" or "Guideline informed therapies" or "Guideline informed treatment" or "Guideline informed treatments" or "Guideline informed psychotherapy" or "Guideline informed psychotherapies" or "Guideline informed psycho therapy" or "Guideline informed psycho therapies" or "Guideline informed psychological" or "Guideline informed intervention" or "Guideline informed interventions" or "Guideline informed mental health" or "Guideline informed approach" or "Guideline informed approaches" or "Guidelineinformed therapy" or "Guidelineinformed therapies" or "Guidelineinformed treatment" or "Guidelineinformed treatments" or "Guidelineinformed psychotherapy" or "Guidelineinformed psychotherapies" or "Guidelineinformed psycho therapy" or "Guidelineinformed psycho therapies" or "Guidelineinformed psychological" or "Guidelineinformed intervention" or "Guidelineinformed interventions" or "Guidelineinformed mental health" or "Guidelineinformed approach" or "Guidelineinformed approaches" or "GIT-PD" or "GIT-PDs" or GITPD* or "Case Management" or CSM or SCM or "Structured clinical management" or "Good psychiatric management" or GPM or "general psychiatric management" or "Systems Training for Problem Solving" or steps or stairways or "generalist approach" or "generalist approaches" or "generalist

model" or "generalist models" or "generalist therapy" or "generalist therapies" or "generalist treatment" or "generalist treatments" or "generalist psychotherapy" or "generalist psychotherapies" or "generalist psycho therapy" or "generalist psycho therapies" or "generalist psychological" or "generalist intervention" or "generalist interventions" or "generalist mental health") AND ("personality disorder" or "personality change" or "personality disturbance" or "personality disorders" or "personality changes" or "personality disturbances" or "Antisocial Behavior" or "Antisocial Behaviour" or "Antisocial Behaviors" or "Antisocial Behaviours" or "Anti social Behavior" or "Anti social Behaviour" or "Anti social Behaviors" or "Anti social Behaviours" or "Dyssocial Behavior" or "Dyssocial Behaviour" or "Dyssocial Behaviors" or "Dyssocial Behaviours" or "Latent Schizophrenia" or "Pseudopsychopathic Schizophrenia" or "Incipient Schizophrenia" or "Pseudoneurotic Schizophrenia" or "Latent Schizophrenias" or "Pseudopsychopathic Schizophrenias" or "Incipient Schizophrenias" or "Pseudoneurotic Schizophrenias") – **avgrenset 2010-2023 – 40 treff – 7 Oversikter (1 Broad synthesis, 0 Structured summary, 6 Systematic reviews), 46 Primary study**

SØK 6.1 - Title: ("Guideline informed therapy" or "Guideline informed therapies" or "Guideline informed treatment" or "Guideline informed treatments" or "Guideline informed psychotherapy" or "Guideline informed psychotherapies" or "Guideline informed psycho therapy" or "Guideline informed psycho therapies" or "Guideline informed psychological" or "Guideline informed intervention" or "Guideline informed interventions" or "Guideline informed mental health" or "Guideline informed approach" or "Guideline informed approaches" or "Guidelineinformed therapy" or "Guidelineinformed therapies" or "Guidelineinformed treatment" or "Guidelineinformed treatments" or "Guidelineinformed psychotherapy" or "Guidelineinformed psychotherapies" or "Guidelineinformed psycho therapy" or "Guidelineinformed psycho therapies" or "Guidelineinformed psychological" or "Guidelineinformed intervention" or "Guidelineinformed interventions" or "Guidelineinformed mental health" or "Guidelineinformed approach" or "Guidelineinformed approaches" or "GIT-PD" or "GIT-PDs" or GITPD* or "Case Management" or CSM or SCM or "Structured clinical management" or "Good psychiatric management" or GPM or "general psychiatric management" or "Systems Training for Problem Solving" or stepps or stairways or "generalist approach" or "generalist approaches" or "generalist model" or "generalist models" or "generalist therapy" or "generalist therapies" or "generalist treatment" or "generalist treatments" or "generalist psychotherapy" or "generalist psychotherapies" or "generalist psycho therapy" or "generalist psycho therapies" or "generalist psychological" or "generalist intervention" or "generalist interventions" or "generalist mental health") AND ("character disorder" or "character disorders" or "character deviation" or "character deviations" or "character disturbance" or "character disturbances" or "character neurosis" or "character neuroses" or "character problem" or "character problems" or "social behavior disorder" or "social behavior disorders" or "social behaviour disorder" or "social behaviour disorders" or "social disease" or "social diseases" or "social pathology" or "Borderline state" or "Borderline states" or "Borderline psychoses" or "Borderline psychosis" or "Borderline symptom" or "Borderline symptoms" or "Borderline trait" or "Borderline traits" or Hysteria or hystery or Narcissism* or narcissism* or "PD cluster A" or schizoidism or schizoidia or schizothymia or "PD cluster B" or "emotional intensity disorder" or "emotional intensity disorders" or "PD cluster C" or "obsessional trait" or "obsessional traits" or "obsessive trait" or "obsessive traits" or "psychological dependency" or "psychological dependence" or "psychological dependences" or neuropsychopathy or psychopath* or Sociopath* or "Mass Psychogenic Illness" or "Mass Psychogenic Illnesss") – **avgrenset 2010-2023 – 0 treff – 0 Oversikter (0 Broad synthesis, 0 Structured summary, 0 Systematic reviews), 0 Primary study**

SØK 6.2 - Abstract: ("Guideline informed therapy" or "Guideline informed therapies" or "Guideline informed treatment" or "Guideline informed treatments" or "Guideline informed psychotherapy" or "Guideline informed psychotherapies" or "Guideline informed psycho therapy" or "Guideline informed psycho therapies" or "Guideline informed psychological" or "Guideline informed intervention" or "Guideline informed interventions" or "Guideline informed mental health" or "Guideline informed approach" or "Guideline informed approaches" or "Guidelineinformed therapy" or "Guidelineinformed therapies" or "Guidelineinformed treatment" or "Guidelineinformed treatments" or "Guidelineinformed psychotherapy" or "Guidelineinformed psychotherapies" or "Guidelineinformed psycho therapy" or "Guidelineinformed psycho therapies" or "Guidelineinformed psychological" or "Guidelineinformed intervention" or "Guidelineinformed interventions" or "Guidelineinformed mental health" or "Guidelineinformed approach" or "Guidelineinformed approaches" or "GIT-PD" or "GIT-PDs" or GITPD* or "Case Management" or CSM or SCM or "Structured clinical management" or "Good psychiatric management" or GPM or "general psychiatric management" or "Systems Training for Problem Solving" or stepps or stairways or "generalist approach" or "generalist approaches" or "generalist

model" or "generalist models" or "generalist therapy" or "generalist therapies" or "generalist treatment" or "generalist treatments" or "generalist psychotherapy" or "generalist psychotherapies" or "generalist psycho therapy" or "generalist psycho therapies" or "generalist psychological" or "generalist intervention" or "generalist interventions" or "generalist mental health") AND ("character disorder" or "character disorders" or "character deviation" or "character deviations" or "character disturbance" or "character disturbances" or "character neurosis" or "character neuroses" or "character problem" or "character problems" or "social behavior disorder" or "social behavior disorders" or "social behaviour disorder" or "social behaviour disorders" or "social disease" or "social diseases" or "social pathology" or "Borderline state" or "Borderline states" or "Borderline psychoses" or "Borderline psychosis" or "Borderline symptom" or "Borderline symptoms" or "Borderline trait" or "Borderline traits" or Hysteria or hysteria or Narcissism* or narcissism* or "PD cluster A" or schizoidism or schizoidia or schizothymia or "PD cluster B" or "emotional intensity disorder" or "emotional intensity disorders" or "PD cluster C" or "obsessional trait" or "obsessional traits" or "obsessive trait" or "obsessive traits" or "psychological dependency" or "psychological dependence" or "psychological dependences" or neuropsychopathy or psychopath* or Sociopath* or "Mass Psychogenic Illness" or "Mass Psychogenic Illness") – **avgrenset 2010-2023 – 21 treff – 3 Oversikter (1 Broad synthesis, 0 Structured summary, 2 Systematic reviews), 18 Primary study**

SØK 7 - Title/abstract: ("dialectical behavior" or "dialectical behaviors" or "dialectical behaviour" or "dialectical behaviours" or mentalisation or mentalisationbased or mentalising or mentalisingbased or mentalisationfocused or mentalisingfocused or mentalization or mentalizationbased or mentalizing or mentalizingbased or mentalizationfocused or mentalizingfocused or schema or schemafocused or schemabased or "transference focused" or transferencefocused or "transference based" or transferencebased or "transference oriented" or transferenceoriented) AND (therapy or therapies or treatment or treatments or psychotherapy or psychotherapies or "psycho therapy" or "psycho therapies" or psychological or intervention or interventions or "mental health" or approach*) AND (Inadequate or "As If" or Impulseridden or "Impulse Ridden" or Sociopathic or Psychopathic or Antisocial or "Anti social" or Obsessivecompulsive or Compulsive or Obsessive or Passivedependent or Dependent or Hysterical or Paranoid or Passiveaggressive or "Passive Aggressive" or Schizoid or "cluster A" or "cluster B" or "cluster C" or "odd cluster" or "dramatic cluster" or schizothymic or schizotypal or histrionic or narcissistic or avoidant or sadistic or masochistic or Sadomasochistic or "self defeating" or Asthenic or Anankastic or negativistic or borderline) AND (Personalit* or pd or pds) – **avgrenset 2010-2023 – 207 treff – 48 Oversikter (1 Broad synthesis, 2 Structured summary, 45 Systematic reviews), 159 Primary study**

SØK 8.1 - Title: ("specialist approach" or "specialist approaches" or "specialist model" or "specialist models" or "specialist therapy" or "specialist therapies" or "specialist treatment" or "specialist treatments" or "specialist psychotherapy" or "specialist psychotherapies" or "specialist psycho therapy" or "specialist psycho therapies" or "specialist psychological" or "specialist intervention" or "specialist interventions" or "specialist mental health" or "specialised approach" or "specialised approaches" or "specialised model" or "specialised models" or "specialised therapy" or "specialised therapies" or "specialised treatment" or "specialised treatments" or "specialised psychotherapy" or "specialised psychotherapies" or "specialised psycho therapy" or "specialised psycho therapies" or "specialised psychological" or "specialised intervention" or "specialised interventions" or "specialised mental health" or "specialized approach" or "specialized approaches" or "specialized model" or "specialized models" or "specialized therapy" or "specialized therapies" or "specialized treatment" or "specialized treatments" or "specialized psychotherapy" or "specialized psychotherapies" or "specialized psycho therapy" or "specialized psycho therapies" or "specialized psychological" or "specialized intervention" or "specialized interventions" or "specialized mental health" or DBT or MBT or SFT or TFT) AND (Inadequate or "As If" or Impulseridden or "Impulse Ridden" or Sociopathic or Psychopathic or Antisocial or "Anti social" or Obsessivecompulsive or Compulsive or Obsessive or Passivedependent or Dependent or Hysterical or Paranoid or Passiveaggressive or "Passive Aggressive" or Schizoid or "cluster A" or "cluster B" or "cluster C" or "odd cluster" or "dramatic cluster" or schizothymic or schizotypal or histrionic or narcissistic or avoidant or sadistic or masochistic or Sadomasochistic or "self defeating" or Asthenic or Anankastic or negativistic or borderline) AND (Personalit* or pd or pds) – **avgrenset 2010-2023 – 6 treff – 1 Oversikter (0 Broad synthesis, 0 Structured summary, 1 Systematic reviews), 5 Primary study**

SØK 8.2 - Abstract: ("specialist approach" or "specialist approaches" or "specialist model" or "specialist models" or "specialist therapy" or "specialist therapies" or "specialist treatment" or "specialist treatments" or

"specialist psychotherapy" or "specialist psychotherapies" or "specialist psycho therapy" or "specialist psycho therapies" or "specialist psychological" or "specialist intervention" or "specialist interventions" or "specialist mental health" or "specialised approach" or "specialised approaches" or "specialised model" or "specialised models" or "specialised therapy" or "specialised therapies" or "specialised treatment" or "specialised treatments" or "specialised psychotherapy" or "specialised psychotherapies" or "specialised psycho therapy" or "specialised psycho therapies" or "specialised psychological" or "specialised intervention" or "specialised interventions" or "specialised mental health" or "specialized approach" or "specialized approaches" or "specialized model" or "specialized models" or "specialized therapy" or "specialized therapies" or "specialized treatment" or "specialized treatments" or "specialized psychotherapy" or "specialized psychotherapies" or "specialized psycho therapy" or "specialized psycho therapies" or "specialized psychological" or "specialized intervention" or "specialized interventions" or "specialized mental health" or DBT or MBT or SFT or TFT) AND (Inadequate or "As If" or Impulseridden or "Impulse Ridden" or Sociopathic or Psychopathic or Antisocial or "Anti social" or Obsessivecompulsive or Compulsive or Obsessive or Passivedependent or Dependent or Hysterical or Paranoid or Passiveaggressive or "Passive Aggressive" or Schizoid or "cluster A" or "cluster B" or "cluster C" or "odd cluster" or "dramatic cluster" or schizothymic or schizotypal or histrionic or narcissistic or avoidant or sadistic or masochistic or Sadomasochistic or "self defeating" or Asthenic or Anankastic or negativistic or borderline) AND (Personalit* or pd or pds) – **avgrenset 2010-2023 – 163 treff – 36 Oversikter (2 Broad synthesis, 1 Structured summary, 33 Systematic reviews), 127 Primary study**

SØK 9.1 - Title: ("Guideline informed therapy" or "Guideline informed therapies" or "Guideline informed treatment" or "Guideline informed treatments" or "Guideline informed psychotherapy" or "Guideline informed psychotherapies" or "Guideline informed psycho therapy" or "Guideline informed psycho therapies" or "Guideline informed psychological" or "Guideline informed intervention" or "Guideline informed interventions" or "Guideline informed mental health" or "Guideline informed approach" or "Guideline informed approaches" or "Guidelineinformed therapy" or "Guidelineinformed therapies" or "Guidelineinformed treatment" or "Guidelineinformed treatments" or "Guidelineinformed psychotherapy" or "Guidelineinformed psychotherapies" or "Guidelineinformed psycho therapy" or "Guidelineinformed psycho therapies" or "Guidelineinformed psychological" or "Guidelineinformed intervention" or "Guidelineinformed interventions" or "Guidelineinformed mental health" or "Guidelineinformed approach" or "Guidelineinformed approaches" or "GIT-PD" or "GIT-PDs" or GITPD* or "Case Management" or CSM or SCM or "Structured clinical management" or "Good psychiatric management" or GPM or "general psychiatric management" or "Systems Training for Problem Solving" or stepps or stairways or "generalist approach" or "generalist approaches" or "generalist model" or "generalist models" or "generalist therapy" or "generalist therapies" or "generalist treatment" or "generalist treatments" or "generalist psychotherapy" or "generalist psychotherapies" or "generalist psycho therapy" or "generalist psycho therapies" or "generalist psychological" or "generalist intervention" or "generalist interventions" or "generalist mental health") AND (Inadequate or "As If" or Impulseridden or "Impulse Ridden" or Sociopathic or Psychopathic or Antisocial or "Anti social" or Obsessivecompulsive or Compulsive or Obsessive or Passivedependent or Dependent or Hysterical or Paranoid or Passiveaggressive or "Passive Aggressive" or Schizoid or "cluster A" or "cluster B" or "cluster C" or "odd cluster" or "dramatic cluster" or schizothymic or schizotypal or histrionic or narcissistic or avoidant or sadistic or masochistic or Sadomasochistic or "self defeating" or Asthenic or Anankastic or negativistic or borderline) AND (Personalit* or pd or pds) – **avgrenset 2010-2023 – 12 treff – 1 Oversikter (0 Broad synthesis, 1 Structured summary, 0 Systematic reviews), 11 Primary study**

SØK 9.2 - Abstract: ("Guideline informed therapy" or "Guideline informed therapies" or "Guideline informed treatment" or "Guideline informed treatments" or "Guideline informed psychotherapy" or "Guideline informed psychotherapies" or "Guideline informed psycho therapy" or "Guideline informed psycho therapies" or "Guideline informed psychological" or "Guideline informed intervention" or "Guideline informed interventions" or "Guideline informed mental health" or "Guideline informed approach" or "Guideline informed approaches" or "Guidelineinformed therapy" or "Guidelineinformed therapies" or "Guidelineinformed treatment" or "Guidelineinformed treatments" or "Guidelineinformed psychotherapy" or "Guidelineinformed psychotherapies" or "Guidelineinformed psycho therapy" or "Guidelineinformed psycho therapies" or "Guidelineinformed psychological" or "Guidelineinformed intervention" or "Guidelineinformed interventions" or "Guidelineinformed mental health" or "Guidelineinformed approach" or "Guidelineinformed approaches" or "GIT-PD" or "GIT-PDs" or GITPD* or "Case Management" or CSM or SCM or "Structured clinical management" or "Good psychiatric management" or GPM or "general psychiatric management" or "Systems Training for

Litteratursøk fra Bibliotek for helseforvaltningen

Dokumentasjon av søkestrategi

Problem Solving" or stepps or stairways or "generalist approach" or "generalist approaches" or "generalist model" or "generalist models" or "generalist therapy" or "generalist therapies" or "generalist treatment" or "generalist treatments" or "generalist psychotherapy" or "generalist psychotherapies" or "generalist psycho therapy" or "generalist psycho therapies" or "generalist psychological" or "generalist intervention" or "generalist interventions" or "generalist mental health") AND (Inadequate or "As If" or Impulseridden or "Impulse Ridden" or Sociopathic or Psychopathic or Antisocial or "Anti social" or Obsessivecompulsive or Compulsive or Obsessive or Passivedependent or Dependent or Hysterical or Paranoid or Passiveaggressive or "Passive Aggressive" or Schizoid or "cluster A" or "cluster B" or "cluster C" or "odd cluster" or "dramatic cluster" or schizothymic or schizotypal or histrionic or narcissistic or avoidant or sadistic or masochistic or Sadomasochistic or "self defeating" or Asthenic or Anankastic or negativistic or borderline) AND (Personalit* or pd or pds) – **avgrenset 2010-2023 – 35 treff – 4 Oversikter (0 Broad synthesis, 0 Structured summary, 4 Systematic reviews), 31 Primary study**

Database: Cochrane Database of Systematic Reviews: Issue 11 of 12, November 2023, Central Register of Controlled trials: Issue 10 of 12, October 2023

Dato: 06.11.2023

Antall treff: 6 SO (Cochrane), 434 andre (Trials)

#1	[mh ^"Dialectical Behavior Therapy"]	83
#2	[mh ^"Mentalization-Based Therapy"]	3
#3	[mh ^"Schema Therapy"]	17
#4	((mentali?ationbased or mentali?ingbased or mentali?ationfocused or mentali?ingfocused or "schema focused" or schemafocused or "schema based" or schemabased or "transference focused" or transferencefocused or "transference based" or transferencebased or "transference oriented" or transferenceoriented) NEAR/2 (therap* or treatment* or psychotherap* or "psycho therapy" or "psycho therapies" or psychological or intervention* or "mental health" or approach*)):ti,ab	162
#5	((dialectical NEXT behavio*) NEAR/2 (therap* or treatment* or psychotherap* or "psycho therapy" or "psycho therapies" or psychological or intervention* or "mental health" or approach*)):ti,ab	539
#6	((mentali?ation or mentali?ing) NEXT (based or focused) NEAR/2 (therap* or treatment* or psychotherap* or "psycho therapy" or "psycho therapies" or psychological or intervention* or "mental health" or approach*)):ti,ab	119
#7	((mentali?ation or mentali?ing or Schema) NEXT (cognitive* or behavio*) NEXT (therap* or treatment* or psychotherap* or "psycho therapy" or "psycho therapies" or psychological or intervention* or "mental health" or approach*)):ti,ab	0
#8	((mentali?ation or mentali?ing or Schema) NEXT cognitive NEXT behavio?r NEXT (therap* or treatment* or psychotherap* or "psycho therapy" or "psycho therapies" or psychological or intervention* or "mental health" or approach*)):ti,ab	0
#9	((mentali?ation or mentali?ing or Schema) NEXT (therap* or treatment* or psychotherap* or "psycho therapy" or "psycho therapies" or psychological or intervention* or "mental health" or approach*)):ti,ab	242
#10	((specialist or speciali?ed) NEXT (approach* or model* or therap* or treatment* or psychotherap* or "psycho therapy" or "psycho therapies" or psychological or intervention* or "mental health")):ti,ab	746
#11	(DBT or MBT or SFT or TFT):ti,ab	1264
#12	("Guideline informed" or Guidelineinformed) NEAR/2 (therap* or treatment* or psychotherap* or "psycho therapy" or "psycho therapies" or psychological or intervention* or "mental health" or approach*)):ti,ab	2
#13	(GIT-PD* or GITPD* or "Case Management" or CSM or SCM or "Structured clinical management" or "Good psychiatric management" or GPM or "general psychiatric management" or "Systems Training for Problem Solving" or stepps or stairways):ti,ab	3138

Litteratursøk fra Bibliotek for helseforvaltningen

Dokumentasjon av søkestrategi

#14	(generalist NEXT (approach* or model* or therap* or treatment* or psychotherap* or "psycho therapy" or "psycho therapies" or psychological or intervention* or "mental health")):ti,ab	12
#15	#1 OR #2 OR #3 OR #4 OR #6 OR #7 OR #8 OR #9 OR #10 OR #11 OR #12 OR #13 OR #14	5415
#16	[mh "Personality Disorders"]	1763
#17	[mh ^Narcissism]	30
#18	(personality NEXT (disorder* or change* or disturbance*)):ti,ab	2190
#19	((Antisocial or "Anti social" or Dyssocial) NEXT (Behavior* or Behaviour*)):ti,ab	357
#20	((Inadequate or "As If" or Impulseridden or "Impulse Ridden" or Sociopathic or Psychopathic or Antisocial or "Anti social" or Obsessivecompulsive or Compulsive or Obsessive or Passivedependent or Dependent or Hysterical or Paranoid or Passiveaggressive or "Passive Aggressive" or Schizoid or "cluster A" or "cluster B" or "cluster C" or "odd cluster" or "dramatic cluster" or schizothymic or schizotypal or histrionic or narcissistic or avoidant or sadistic or masochistic or Sadomasochistic or "self defeating" or Asthenic or Anankastic or negativistic or borderline) NEXT (Personalit* or pd?):ti,ab	1805
#21	((Latent or Pseudopsychopathic or Incipient or Pseudoneurotic) NEXT Schizophrenia*):ti,ab	1
#22	(character NEXT (disorder* or deviation* or disturbance* or neurosis or neuroses or problem*)):ti,ab	8
#23	(social NEXT (disease* or pathology)):ti,ab	9
#24	(social NEXT behavio?r NEXT disorder*):ti,ab	3
#25	(Borderline NEXT (state* or psychos* or symptom* or trait*)):ti,ab	100
#26	(Hysteria or hystery or Narcissism* or narcism* or "PD cluster A" or schizoidism or schizoidia or schizothymia or "PD cluster B" or ("emotional intensity" NEXT disorder*) or "PD cluster C" or ((obsessional or obsessive) NEXT trait?) or (psychological NEXT dependenc*) or neuropsychopathy or psychopath* or Sociopath* or ("Mass Psychogenic" NEXT Illness*)):ti,ab	4679
#27	#16 OR #17 OR #18 OR #19 OR #20 OR #21 OR #22 OR #23 OR #24 OR #25 OR #26	8072
#28	#15 AND #27	552
#29	#15 AND #27 with Cochrane Library publication date Between Jan 2010 and Dec 2023, in Cochrane Reviews	6
#30	#15 AND #27 with Publication Year from 2010 to 2023, in Trials	434