


## Nasjonal faglig retningslinje for utredning og behandling av personlighetsforstyrrelser

### – oversikt over inkluderte og ekskluderte publikasjoner

Problemstilling: Hva er den beste måten å bli møtt på for pasienter med personlighetsforstyrrelser som er i akutt krise?

|          |                                          |                        |
|----------|------------------------------------------|------------------------|
| <b>P</b> | Pasienter med personlighetsforstyrrelser |                        |
| <b>I</b> | Kriseintervensjon<br>Akuttbehandling     | Dato for søk: 7.6.2024 |
| <b>C</b> | Ingen sammenligning                      | Søk oppdatert dato:    |
| <b>O</b> | Mestring av egen tilstand og situasjon   |                        |



Figur 1. Flytskjema over identifiserte treff og utvelgelse av relevante referanser.  
(modifisert/hentet fra Kunnskapssenteret for helsetjenesten i Folkehelseinstituttet)

**Tabell 1a. Inkluderte systematiske oversikter (oversiktsartikler)**

| <b>Forfatter, år, tittel</b>                                                                                                                                                                                                                                                                             | <b>Metodisk kvalitet*</b>                                                |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------|
| DeLeo K, Maconick L, McCabe R, Broeckelmann E, Sheridan Rains L, Rowe S, et al., 2022. Experiences of crisis care among service users with complex emotional needs or a diagnosis of 'personality disorder', and other stakeholders: systematic review and meta-synthesis of the qualitative literature. | Moderat til lav risiko for at metodiske mangler har påvirket resultatene |
| Stapleton A, Wright N., 2019. The experiences of people with borderline personality disorder admitted to acute psychiatric inpatient wards: a meta-synthesis.                                                                                                                                            | Moderat til høy risiko for at metodiske mangler har påvirket resultatene |

\* Vurdert med Granskningsmall for kvalitative evidenssyntheser fra Statens beredning for medicinsk og sosial utvärdering (sbu.se)

**Tabell 2. Ekskluderte referanser. Sammenndraget/tittel funnet relevant, ekskludert etter gjennomlesing av artikkel.**

| <b>Forfatter, år</b>                                                                                                                                                                                                                             | <b>Kommentar/begrunnelse for eksklusjon</b>                                         |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|
| Acres K, Loughhead M, Procter N., 2019. Carer perspectives of people diagnosed with borderline personality disorder: A scoping review of emergency care responses                                                                                | Vurdert til lav metodisk kvalitet, bl.a, grunnet høy risiko for seleksjonsskjevhet. |
| Maconick L, Ikhtabi S, Broeckelmann E, Pitman A, Barnicot K, Billings J, et al., 2023 Crisis and acute mental health care for people who have been given a diagnosis of a 'personality disorder': a systematic review.                           | Vurdert til lav kvalitet. Beskriver ingen sikre funn.                               |
| Miller J, Nguyen E, Lam AYH, Brann P, Innes S, Buntine P, et al., 2023. Experiences of consumers, carers and clinicians during borderline personality disorder presentations to the emergency department-An integrative review.                  | Studiene dekkes av inkludert artikkel (DeLeo et al., 2022)                          |
| Warrender D, Bain H, Murray I, Kennedy C., 2021. Perspectives of crisis intervention for people diagnosed with "borderline personality disorder": An integrative review.                                                                         | Snevre inklusjonskriterier. Overlapper i stor grad med inkluderte artikler          |
| Werbeloff N, Chang C-K, Broadbent M, Hayes JF, Stewart R, Osborn DP., 2017. Admission to acute mental health services after contact with crisis resolution and home treatment teams: An investigation in two large mental health-care providers. | Omhandler hovedsakelig andre diagnosegrupper enn personlighetsforstyrrelser         |
| Westwood L, Baker J., 2010. Attitudes and perceptions of mental health nurses towards borderline personality disorder clients in acute mental health settings: A review of the literature.                                                       | Utgår til fordel for nyere inkluderte artikler                                      |

---

**Fullstendig referanseliste (inkluderte og ekskluderte referanser)**

Acres K, Loughhead M, Procter N. Carer perspectives of people diagnosed with borderline personality disorder: A scoping review of emergency care responses. *Australas Emerg Care* 2019;22(1):34-41. DOI: 10.1016/j.auec.2018.12.001

DeLeo K, Maconick L, McCabe R, Broeckelmann E, Sheridan Rains L, Rowe S, et al. Experiences of crisis care among service users with complex emotional needs or a diagnosis of 'personality disorder', and other stakeholders: systematic review and meta-synthesis of the qualitative literature. *BJPsych Open* 2022;8(2):e53. DOI: 10.1192/bjo.2022.1

Maconick L, Ikhtabi S, Broeckelmann E, Pitman A, Barnicot K, Billings J, et al. Crisis and acute mental health care for people who have been given a diagnosis of a 'personality disorder': a systematic review. *BMC Psychiatry* 2023;23(1):720. DOI: 10.1186/s12888-023-05119-7

Miller J, Nguyen E, Lam AYH, Brann P, Innes S, Buntine P, et al. Experiences of consumers, carers and clinicians during borderline personality disorder presentations to the emergency department-An integrative review. *J Psychiatr Ment Health Nurs* 2023. DOI: 10.1111/jpm.13009

Stapleton A, Wright N. The experiences of people with borderline personality disorder admitted to acute psychiatric inpatient wards: a meta-synthesis. *J Ment Health* 2019;28(4):443-57. DOI: 10.1080/09638237.2017.1340594

Warrender D, Bain H, Murray I, Kennedy C. Perspectives of crisis intervention for people diagnosed with "borderline personality disorder": An integrative review. *J Psychiatr Ment Health Nurs* 2021;28(2):208-36. DOI: 10.1111/jpm.12637

Werbeloff N, Chang C-K, Broadbent M, Hayes JF, Stewart R, Osborn DP. Admission to acute mental health services after contact with crisis resolution and home treatment teams: An investigation in two large mental health-care providers. *The Lancet Psychiatry* 2017;4(1):49-56. DOI: 10.1016/s2215-0366%2816%2930416-3

Westwood L, Baker J. Attitudes and perceptions of mental health nurses towards borderline personality disorder clients in acute mental health settings: A review of the literature. *J Psychiatr Ment Health Nurs* 2010;17(7):657-62. DOI: 10.1111/j.1365-2850.2010.01579.x