

Litteratursøk fra Bibliotek for helseforvaltningen

Dokumentasjon av søkestrategi

ERFARING MED BEHANDLING AV PERSONLEGDOMSFORSTYRRINGAR

Kontaktperson: Karin Irene Gravbrøt
Søk: Ragnhild Agathe Tornes
Fagfelle: Astrid Nøstberg
Kommentar: Personlegdomsforstyrningar-delen er basert på eit søk Marita har gjort tidlegare på det temaet (Spesialistmodeller og generalistmodeller for behandling av personlighetsforstyrrelser)
Dublettsjekk i EndNote: Før dublettkontroll: 787
Etter dublettkontroll: 237

Kva spørsmål skal litteratursøket svara på?			
Hvilke erfaringer har pasienter, pårørende og helsepersonell når det gjelder behandling av personlighetsforstyrrelser (PF) i Norge?			
Spørsmålet i PICO-format			
Population (pasient)	Intervention (tiltak)	Comparison (samanlikning)	Outcome (utfall)
Pasienter, pårørende eller helsepersonell som har erfaring med personlighetsforstyrrelser	Interaksjon mellom pasient eller pårørende og helsetjenesten ved akutt krise eller behandling av PF		Pasienters erfaring Pårørendes erfaringer Helsepersonells erfaringer

Database: Ovid MEDLINE(R) and Epub Ahead of Print, In-Process, In-Data-Review & Other Non-Indexed Citations, Daily and Versions <1946 to October 25, 2024>
Dato: 28.10.24
Antall treff: 116

1	Personality Disorders/ or Antisocial Personality Disorder/ or Borderline Personality Disorder/ or Compulsive Personality Disorder/ or Dependent Personality Disorder/ or Histrionic Personality Disorder/ or Hysteria/ or Paranoid Personality Disorder/ or Passive-Aggressive Personality Disorder/ or Schizoid Personality Disorder/ or Schizotypal Personality Disorder/ or Narcissism/	48516
2	(personality adj (disorder* or change* or disturbance*)).tw,kf.	27269
3	((Antisocial or "Anti social" or Dyssocial) adj (Behavior* or Behaviour*)).tw,kf.	5015
4	((Inadequate or Impulseridden or "Impulse Ridden" or Sociopathic or Psychopathic or Antisocial or "Anti social" or Obsessivecompulsive or Compulsive or Obsessive or Passivedependent or Dependent or Hysterical or Paranoid or Passiveaggressive or "Passive Aggressive" or Schizoid or "cluster A" or "cluster B" or "cluster C" or "odd cluster" or "dramatic cluster" or schizothymic or schizotypal or histrionic or narcissistic or avoidant or sadistic or masochistic or Sadomasochistic or	18222

Litteratursøk fra Bibliotek for helseforvaltningen

Dokumentasjon av søkestrategi

	"self defeating" or Asthenic or Anankastic or negativistic or borderline) adj (Personalit* or pd?)).tw,kf.	
5	((Latent or Pseudopsychopathic or Incipient or Pseudoneurotic or "pseudo neurotic") adj Schizophrenia*).tw,kf.	100
6	(character adj (disorder* or deviation* or disturbance* or neurosis or neuroses or problem*)).tw,kf.	378
7	(social adj ("behavior disorder*" or "behaviour disorder*" or disease* or pathology)).tw,kf.	527
8	(Borderline adj (state* or psychos* or symptom* or trait*)).tw,kf.	663
9	(Hysteria or hystery or Narcissism* or narcissm* or "PD cluster A" or schizoidism or schizoidia or schizothymia or "PD cluster B" or "emotional intensity disorder*" or "PD cluster C" or ((obsessional or obsessive) adj trait*) or "psychological dependenc*" or neuropsychopathy or psychopath* or psychopatic or Sociopath* or "Mass Psychogenic Illness*").tw,kf.	66073
10	or/1-9	117551
11	Patient Satisfaction/	92501
12	((therap* or treatment* or psychotherap* or intervention* or approach* or admission) adj8 (satisfaction or perception? or perceive? or assessment* or experience* or preference* or perspective? or opinion* or survey* or questionnaire* or feedback or "feed back" or view? or review? or comment? or respons* or "self report*" or selfreport* or "patient report*" or patientreport* or evaluat*)).tw,kf.	1593946
13	11 or 12	1666524
14	10 and 13	11447
15	exp Norway/	43642
16	(norway* or Norwegian? or norge).tw,in,lg,kf,pl.	233476
17	(sykehus* or sjukehus* or ((universitet* or University or univ) adj3 (haukeland or nordnorge or norge* or bergen or stavanger or tromso or tromsoe or trondheim or levanger or gjovik or gjoevik or harstad or lillehammer or narvik or nesna or stord or haugesund or voldal or aalesund or alesund)) or ((universitet* or University or univ) adj1 nord) or sentralsjukehus* or sentralsykehus* or Finnmarkssykehuset or Helgelandssykehuset or Nordlandssykehuset or innlandet or "Olav? Hospital?" or revmatismesykehus or lungesykehus or "Hospitalet Betanien" or Kysthospitalet or Aleris or Feiringklinikken or Glittreklinikken or "Hjertesenteret i Oslo" or "Medi 3" or "Volvat Medisinske Senter" or "Helse Vest" or "Helse Stavanger" or "Helse fonna" or "helse bergen" or "helse forde" or "helse foerde" or sjukehusapotek* or sykehusapotek* or "helse midt norge" or "helse midtnorge" or "Ambulanse Midtnorge" or "Ambulanse Midt norge" or "helse nord" or "Helse Sorost" or "Helse Sorost" or "Helse Soeroest" or "Helse Soer oest" or sunnaas or sunnas or sorlandet or soerlandet).in,tw,kf,pl.	64364
18	(Akershus or Viken or Austagder or Agder or Buskerud or Finnmark or Hedmark or Hordaland or Romsdal or Nordland or Nordtrondelag or Trondelag or Nordtroendelag or Troendelag or Oppland or Oslo or	107731

Litteratursøk fra Bibliotek for helseforvaltningen

Dokumentasjon av søkestrategi

	Rogaland or Fjordane or Sortrondelag or Soertroendelag or Telemark or Troms or Vestagder or Vestfold or Ostfold or Oestfold or Longyearbyen or innlandet or vestland).in,tw,kf,pl.	
19	tidsskrift for den norske laegeforening.jn.	34825
20	or/15-19	241684
21	14 and 20	208
22	limit 21 to yr="2014 -Current"	117
23	(comment or editorial or letter).pt.	2291051
24	22 not 23	116

Database: Embase <1974 to 2024 October 25>

Dato: 28.10.24

Antall treff: 98

1	personality disorder/ or character disorder/ or cluster A personality disorder/ or paranoid personality disorder/ or schizoidism/ or schizotypal personality disorder/ or cluster B personality disorder/ or antisocial personality disorder/ or borderline state/ or histrionic personality disorder/ or narcissism/ or cluster C personality disorder/ or avoidant personality disorder/ or compulsive personality disorder/ or dependent personality disorder/ or passive aggressive personality disorder/ or psychopathy/ or sadistic personality disorder/ or self defeating personality disorder/ or hysteria/ or mass hysteria/	76556
2	(personality adj (disorder* or change* or disturbance*)).tw,kf.	37606
3	((Antisocial or "Anti social" or Dyssocial) adj (Behavior* or Behaviour*)).tw,kf.	6049
4	((Inadequate or Impulseridden or "Impulse Ridden" or Sociopathic or Psychopathic or Antisocial or "Anti social" or Obsessivecompulsive or Compulsive or Obsessive or Passivedependent or Dependent or Hysterical or Paranoid or Passiveaggressive or "Passive Aggressive" or Schizoid or "cluster A" or "cluster B" or "cluster C" or "odd cluster" or "dramatic cluster" or schizothymic or schizotypal or histrionic or narcissistic or avoidant or sadistic or masochistic or Sadomasochistic or "self defeating" or Asthenic or Anankastic or negativistic or borderline) adj (Personalit* or pd?)).tw,kf.	23312
5	((Latent or Pseudopsychopathic or Incipient or Pseudoneurotic or "pseudo neurotic") adj Schizophrenia*).tw,kf.	98
6	(character adj (disorder* or deviation* or disturbance* or neurosis or neuroses or problem*)).tw,kf.	338
7	(social adj ("behavior disorder*" or "behaviour disorder*" or disease* or pathology)).tw,kf.	568
8	(Borderline adj (state* or psychos* or symptom* or trait*)).tw,kf.	847

Litteratursøk fra Bibliotek for helseforvaltningen

Dokumentasjon av søkestrategi

9	(Hysteria or hystery or Narcissism* or narciss* or "PD cluster A" or schizoidism or schizoidia or schizothymia or "PD cluster B" or "emotional intensity disorder*" or "PD cluster C" or ((obsessional or obsessive) adj trait?) or "psychological dependenc*" or neuropsychopathy or psychopath* or psychopatic or Sociopath* or "Mass Psychogenic Illness*").tw,kf.	85624
10	or/1-9	158829
11	patient satisfaction/	182594
12	((therap* or treatment* or psychotherap* or intervention* or approach* or admission) adj8 (satisfaction or perception? or perceive? or assessment* or experience* or preference* or perspective? or opinion* or survey* or questionnaire* or feedback or "feed back" or view? or review? or comment? or respons* or "self report*" or selfreport* or "patient report*" or patientreport* or evaluat*)).tw,kf.	2312084
13	11 or 12	2453342
14	10 and 13	18484
15	norway/ or "svalbard and jan mayen"/ or "norwegian (people)"/	51907
16	(Norway* or Norwegian? or norge).in,ad,tw,lg,kf.	303184
17	(sykehus* or sjukehus* or ((universitet* or University or univ) adj3 (haukeland or nordnorge or norge* or bergen or stavanger or tromso or tromsoe or trondheim or levanger or gjovik or gjoevik or harstad or lillehammer or narvik or nesna or stord or haugesund or voldal or aalesund or alesund)) or ((universitet* or University or univ) adj1 nord) or sentralsjukehus* or sentralsykehus* or Finnmarkssykehuset or Helgelandssykehuset or Nordlandssykehuset or innlandet or "Olav? Hospital?" or revmatismesykehus or lungesykehus or "Hospitalet Betanien" or Kysthospitalet or Aleris or Feiringklinikken or Glittreklinikken or "Hjertesenteret i Oslo" or "Medi 3" or "Volvat Medisinske Senter" or "Helse Vest" or "Helse Stavanger" or "Helse fonna" or "helse bergen" or "helse forde" or "helse foerde" or sjukehusapotek* or sykehusapotek* or "helse midt norge" or "helse midtnorge" or "Ambulanse Midtnorge" or "Ambulanse Midt norge" or "helse nord" or "Helse Sorost" or "Helse Sorost" or "Helse Soeroest" or "Helse Soer oest" or sunnaas or sunnas or sorlandet or soerlandet or oslomet).in,ad,ti,ab,kf.	95721
18	(Akershus or Viken or Austagder or Agder or Buskerud or Finnmark or Hedmark or Hordaland or Romsdal or Nordland or Nordtrondelag or Trondelag or Nordtroendelag or Troendelag or Oppland or Oslo or Rogaland or Fjordane or Sortrondelag or Soertroendelag or Telemark or Troms or Vestagder or Vestfold or Ostfold or Oestfold or Longyearbyen or innlandet or vestland).in,ad,ti,ab,kf.	160365
19	(oslonorway or bergennorway or sandnesnorway or stavangernorway or trondheimnorway or tromsonorway or tromsoenorway or Akershusnorway or Vikennorway or Austagdernorway or Agdernorway or Buskerudnorway or Finnmarknorway or Hedmarknorway or Hordalandnorway or Romsdalnorway or Nordlandnorway or Nordtrondelagnorway or Nordtroendelagnorway or Trondelagnorway or	758

Litteratursøk fra Bibliotek for helseforvaltningen

Dokumentasjon av søkestrategi

	Troendelagnorway or Opplandnorway or Rogalandnorway or Fjordanelagnorway or Sortrondelagnorway or Sortroendelagnorway or Telemarknorway or Tromsnorway or Vestagdernorway or Vestfoldnorway or Ostfoldnorway or Oestfoldnorway or innlandetnorway or vestlandnorway).in,ad,ti,ab,kf.	
20	(tidsskrift for den norske laegeforening or tidsskrift for den norske laegeforening tidsskrift for praktisk or tidsskrift for den norske laegeforening tidsskrift for praktisk medicin ny raeke or Norsk Epidemiologi).jn.	30713
21	or/15-20	312173
22	14 and 21	269
23	limit 22 to yr="2014 -Current"	137
24	(Conference Abstract or Letter or Editorial).pt.	7433408
25	23 not 24	133
26	limit 25 to embase	98

Database: APA PsycInfo <1806 to October 2024 Week 4>

Dato: 28.10.24

Antall treff: 104

Kommentar: Frå Marita i søket eg har teke personlegdomsforstyringsselementet frå: "For å unngå treff i referanselister, er det søkt tittel (ti) og abstract (ab) fremfor textword (tw). tm betyr Tests & Measures".

1	Personality Disorders/ or Antisocial Personality Disorder/ or Avoidant Personality Disorder/ or Borderline Personality Disorder/ or Dependent Personality Disorder/ or Histrionic Personality Disorder/ or Hysteria/ or Mass Hysteria/ or Narcissistic Personality Disorder/ or Obsessive Compulsive Personality Disorder/ or Paranoid Personality Disorder/ or Passive-Aggressive Personality Disorder/ or Sadomasochistic Personality/ or Masochistic Personality/ or Schizoid Personality Disorder/ or Schizotypal Personality Disorder/ or Psychopathy/ or Borderline States/	40588
2	(personality adj (disorder* or change* or disturbance*)).ti,ab.	39613
3	((Antisocial or "Anti social" or Dyssocial) adj (Behavior* or Behaviour*)).ti,ab.	9773
4	((Inadequate or Impulseridden or "Impulse Ridden" or Sociopathic or Psychopathic or Antisocial or "Anti social" or Obsessivecompulsive or Compulsive or Obsessive or Passivedependent or Dependent or Hysterical or Paranoid or Passiveaggressive or "Passive Aggressive" or Schizoid or "cluster A" or "cluster B" or "cluster C" or "odd cluster" or "dramatic cluster" or schizothymic or schizotypal or histrionic or narcissistic or avoidant or sadistic or masochistic or Sadomasochistic or "self defeating" or Asthenic or Anankastic or negativistic or borderline) adj (Personalit* or pd?)).ti,ab.	26529

Litteratursøk fra Bibliotek for helseforvaltningen

Dokumentasjon av søkestrategi

5	((Latent or Pseudopsychopathic or Incipient or Pseudoneurotic or "pseudo neurotic") adj Schizophrenia*).ti,ab.	130
6	(character adj (disorder* or deviation* or disturbance* or neurosis or neuroses or problem*)).ti,ab.	1189
7	(social adj ("behavior disorder*" or "behaviour disorder*" or disease* or pathology)).ti,ab.	365
8	(Borderline adj (state* or psychos* or symptom* or trait*)).ti,ab.	1012
9	(Hysteria or hystery or Narcissism* or narcism* or "PD cluster A" or schizoidism or schizoidia or schizothymia or "PD cluster B" or "emotional intensity disorder*" or "PD cluster C" or ((obsessional or obsessive) adj trait*) or "psychological dependenc*" or neuropsychopathy or psychopath* or psychopatic or Sociopath* or "Mass Psychogenic Illness*").ti,ab.	99979
10	or/1-9	151561
11	Client Satisfaction/	6893
12	((therap* or treatment* or psychotherap* or intervention* or approach* or admission) adj8 (satisfaction or perception? or perceive? or assessment* or experience* or preference* or perspective? or opinion* or survey* or questionnaire* or feedback or "feed back" or view? or review? or comment? or respons* or "self report*" or selfreport* or "patient report*" or patientreport* or evaluat*).ti,ab.	437888
13	11 or 12	442223
14	10 and 13	17558
15	(Norway* or Norwegian? or norge).in,cq,lo,tw,lg,ca.	50506
16	(sykehus* or sjukehus* or ((universitet* or University or univ) adj3 (haukeland or nordnorge or norge* or bergen or stavanger or tromsø or tromsø or trondheim or levanger or gjovik or gjoevik or harstad or lillehammer or narvik or nesna or stord or haugesund or voldal or aalesund or alesund)) or ((universitet* or University or univ) adj1 nord) or sentralsjukehus* or sentralsykehus* or Finnmarkssykehuset or Helgelandssykehuset or Nordlandssykehuset or innlandet or "Olav? Hospital?" or revmatismesykehus or lungesykehus or "Hospitalet Betanien" or Kysthospitalet or Aleris or Feiringklinikken or Glittreklinikken or "Hjertesenteret i Oslo" or "Medi 3" or "Volvat Medisinske Senter" or "Helse Vest" or "Helse Stavanger" or "Helse fonna" or "helse bergen" or "helse forde" or "helse foerde" or sjukehusapotek* or sykehusapotek* or "helse midt norge" or "helse midtnorge" or "Ambulanse Midtnorge" or "Ambulanse Midt norge" or "helse nord" or "Helse Sorost" or "Helse Sorost" or "Helse Soeroest" or "Helse Soer oest" or sunnaas or sunnas or sorlandet or soerlandet or oslomet).cq,in,tw,ca.	13032
17	(Akershus or Viken or Austagder or Agder or Buskerud or Finnmark or Hedmark or Hordaland or Romsdal or Nordland or Nordtrondelag or Trondelag or Nordtroendelag or Troendelag or Oppland or Oslo or Rogaland or Fjordane or Sortrondelag or Soertroendelag or Telemark or Troms or Vestagder or Vestfold or Ostfold or Oestfold or Longyearbyen or innlandet or vestland).cq,in,tw,ca.	24479

Litteratursøk fra Bibliotek for helseforvaltningen

Dokumentasjon av søkestrategi

18	(tidsskrift for den norske laegeforening or tidsskrift for norsk psykologforening).jn.	1451
19	or/15-18	51058
20	14 and 19	240
21	limit 20 to yr="2014 -Current"	106
22	("comment/reply" or editorial or letter).dt.	214841
23	21 not 22	104

Database: Cinahl via Ebsco

Dato: 28.10.24

Antall treff: 38

S20	S18 NOT S19 Limiters - Exclude MEDLINE records	38
S19	PT (Commentary or Editorial or Letter)	787,149
S18	S14 AND S17 Limiters - Publication Date: 20140101-20241031	46
S17	S15 OR S16	56,018
S16	TI (norway* OR norwegian* OR norge) OR AB (norway* OR norwegian* OR norge) OR AF (norway* OR norwegian* OR norge)	54,295
S15	(MH "Norway")	17,289
S14	S10 AND S13	3,981
S13	S11 OR S12	499,168
S12	TI((therap* or treatment* or psychotherap* or intervention* or approach* or admission) N7 (satisfaction or perception# or perceive# or assessment* or experience* or preference* or perspective# or opinion* or survey* or questionnaire* or feedback or "feed back" or view# or review# or comment# or respons* or "self report*" or selfreport* or "patient report*" or patientreport* or evaluat*)) OR AB((therap* or treatment* or psychotherap* or intervention* or approach* or admission) N7 (satisfaction or perception# or perceive# or assessment* or experience* or preference* or perspective# or opinion* or survey* or questionnaire* or feedback or "feed back" or view# or review# or comment# or respons* or "self report*" or selfreport* or "patient report*" or patientreport* or evaluat*))	447,009
S11	(MH "Patient Satisfaction")	63,557
S10	S1 OR S2 OR S3 OR S4 OR S5 OR S6 OR S7 OR S8 OR S9	35,681
S9	TI(Hysteria or hystery or Narcissism* or narcissism* or "PD cluster A" or schizoidism or schizoidia or schizothymia or "PD cluster B" or "emotional intensity disorder*" or "PD cluster C" or ((obsessional or obsessive) W0 trait#) or "psychological dependenc*" or neuropsychopathy or psychopath* or psychopatic or Sociopath* or "Mass Psychogenic Illness*") OR AB(Hysteria or hystery or Narcissism* or narcissism* or "PD cluster A" or schizoidism or schizoidia or schizothymia or "PD cluster B" or "emotional intensity disorder*" or "PD cluster C" or ((obsessional or	17,057

Litteratursøk fra Bibliotek for helseforvaltningen

Dokumentasjon av søkestrategi

	obsessive) W0 trait#) or "psychological dependenc*" or neuropsychopathy or psychopath* or psychopathic or Sociopath* or "Mass Psychogenic Illness*")	
S8	TI(Borderline W0 (state* or psychos* or symptom* or trait*)) OR AB(Borderline W0 (state* or psychos* or symptom* or trait*))	178
S7	TI(social W0 ("behavior disorder*" or "behaviour disorder*" or disease* or pathology)) OR AB(social W0 ("behavior disorder*" or "behaviour disorder*" or disease* or pathology))	89
S6	TI(character W0 (disorder* or deviation* or disturbance* or neurosis or neuroses or problem*)) OR AB(character W0 (disorder* or deviation* or disturbance* or neurosis or neuroses or problem*))	9
S5	TI((Latent or Pseudopsychopathic or Incipient or Pseudoneurotic) W0 Schizophrenia*) OR AB((Latent or Pseudopsychopathic or Incipient or Pseudoneurotic or "pseudo neurotic") W0 Schizophrenia*)	8
S4	TI((Inadequate or Impulseridden or "Impulse Ridden" or Sociopathic or Psychopathic or Antisocial or "Anti social" or Obsessivecompulsive or Compulsive or Obsessive or Passivedependent or Dependent or Hysterical or Paranoid or Passiveaggressive or "Passive Aggressive" or Schizoid or "cluster A" or "cluster B" or "cluster C" or "odd cluster" or "dramatic cluster" or schizothymic or schizotypal or histrionic or narcissistic or avoidant or sadistic or masochistic or Sadomasochistic or "self defeating" or Asthenic or Anankastic or negativistic or borderline) W0 (Personalit* or pd#)) OR AB((Inadequate or Impulseridden or "Impulse Ridden" or Sociopathic or Psychopathic or Antisocial or "Anti social" or Obsessivecompulsive or Compulsive or Obsessive or Passivedependent or Dependent or Hysterical or Paranoid or Passiveaggressive or "Passive Aggressive" or Schizoid or "cluster A" or "cluster B" or "cluster C" or "odd cluster" or "dramatic cluster" or schizothymic or schizotypal or histrionic or narcissistic or avoidant or sadistic or masochistic or Sadomasochistic or "self defeating" or Asthenic or Anankastic or negativistic or borderline) W0 (Personalit* or pd#))	6,109
S3	TI((Antisocial or "Anti social" or Dyssocial) W0 (Behavior* or Behaviour*)) OR AB((Antisocial or "Anti social" or Dyssocial) W0 (Behavior* or Behaviour*))	1,963
S2	TI(personality W0 (disorder* or change* or disturbance*)) OR AB(personality W0 (disorder* or change* or disturbance*))	9,148
S1	(MH "Personality Disorders+") or (MH "Dissociative Identity Disorder") or (MH "Diogenes Syndrome")	16,810

Litteratursøk fra Bibliotek for helseforvaltningen

Dokumentasjon av søkestrategi

Database: Socialological abstracts via ProQuest

Dato: 28.10.24

Antall treff: 5

S1	MAINSUBJECT.EXACT.EXPLODE("Personality disorders")	1,787
S2	[STRICT] AB, TI(personality P/O (disorder* or change* or disturbance*))	2,214
S3	[STRICT] AB, TI((Antisocial or "Anti social" or Dyssocial) P/O (Behavior* or Behaviour*))	2,872
S4	[STRICT] AB, TI((Inadequate or Impulseridden or "Impulse Ridden" or Sociopathic or Psychopathic or Antisocial or "Anti social" or Obsessivecompulsive or Compulsive or Obsessive or Passivedependent or Dependent or Hysterical or Paranoid or Passiveaggressive or "Passive Aggressive" or Schizoid or "cluster A" or "cluster B" or "cluster C" or "odd cluster" or "dramatic cluster" or schizothymic or schizotypal or histrionic or narcissistic or avoidant or sadistic or masochistic or Sadomasochistic or "self defeating" or Asthenic or Anankastic or negativistic or borderline) P/O (Personalit* or pd*))	1,674
S5	[STRICT] AB, TI((Latent or Pseudopsychopathic or Incipient or Pseudoneurotic or "pseudo neurotic") P/O Schizophrenia*))	0
S6	[STRICT] AB, TI(character P/O (disorder* or deviation* or disturbance* or neurosis or neuroses or problem*))	75
S7	[STRICT] AB, TI(social P/O ("behavior disorder*" or "behaviour disorder*" or disease* or pathology))	558
S8	[STRICT] AB, TI(Borderline P/O (state* or psychos* or symptom* or trait*))	60
S9	[STRICT] AB, TI(Hysteria or hystery or Narcissism* or narciss* or "PD cluster A" or schizoidism or schizoidia or schizothymia or "PD cluster B" or "emotional intensity disorder*" or "PD cluster C" or ((obsessional or obsessive) P/O trait*) or "psychological dependenc*" or neuropsychopathy or psychopath* or psychopathic or Sociopath* or "Mass Psychogenic Illness*")	7,105
S10	[S1] OR [S2] OR [S3] OR [S4] OR [S5] OR [S6] OR [S7] OR [S8] OR [S9]	12,932
S11	MAINSUBJECT.EXACT("Patient satisfaction")	967
S12	[STRICT] AB, TI((therap* or treatment* or psychotherap* or intervention* or approach* or admission) N/7 (satisfaction or perception* or perceive* or assessment* or experience* or preference* or perspective* or opinion* or survey* or questionnaire* or feedback or "feed back" or view or views or review* or comment or comments or respons* or "self report*" or selfreport* or "patient report*" or patientreport* or evaluat*))	80,564

Litteratursøk fra Bibliotek for helseforvaltningen

Dokumentasjon av søkestrategi

S13	[S11] OR [S12]	81,295
S14	[S10] AND [S13]	1,134
S15	LOCATION.exact("Norway")	2,770
S16	author(norway* OR norwegian* OR norge)	5,374
S17	AB, TI(norway* OR norwegian* OR norge)	10,026
S18	[S15] OR [S16] OR [S17]	13,748
S19	[S14] AND [S18]	5
S20	[S14] AND [S18] Narrowed by: Entered date: 2014-01-01 - 2024-10-24	5

Database: Web of Science Core Collection: Science Citation Index Expanded (SCI-EXPANDED) --1987-present, Social Sciences Citation Index (SSCI) --1987-present, Arts & Humanities Citation Index (A&HCI) --1987-present, Emerging Sources Citation Index (ESCI) --2015-present

Dato: 28.10.24

Antall treff: 127

Kommentar: Frå Marita i søket eg har teke personlegdomsforstyringsselementet frå: "Grunnet stor andel feiltreff ble søket begrenset til søk i tittel (TI), abstract (AB) og forfatters nøkkelord (AK). Feltet TS, som vi vanligvis bruker, inkluderer Keyword Plus, som henter nøkkelordene fra referanselisten til artikkelen".

17	#11 AND #14 and Article or Review Article (Document Types) Timespan: 2014-01-01 to 2024-10-24 (Index Date)	Exact search	127
16	#11 AND #14 Timespan: 2014-01-01 to 2024-10-24 (Index Date)	Exact search	128
15	#11 AND #14	Exact search	222
14	#12 OR #13	Exact search	476,863
13	AD=(Norway* or Norwegian* or norge)	Exact search	428,346
12	TS=(Norway* or Norwegian* or norge)	Exact search	116,412
11	#9 AND #10	Exact search	11,208

Litteratursøk fra Bibliotek for helseforvaltningen

Dokumentasjon av søkestrategi

10	TS=((therap* or treatment* or psychotherap* or intervention* or approach* or admission) NEAR/7 (satisfaction or perception\$ or perceive\$ or assessment* or experience* or preference* or perspective\$ or opinion* or survey* or questionnaire* or feedback or "feed back" or view\$ or review\$ or comment\$ or respons* or "self report*" or selfreport* or "patient report*" or patientreport* or evaluat*))	Exact search	1,810,058
9	#8 OR #7 OR #6 OR #5 OR #4 OR #3 OR #2 OR #1	Exact search	110,083
8	TI=(Hysteria or hystery or Narcissism* or narciss* or "PD cluster A" or schizoidism or schizoidia or schizothymia or "PD cluster B" or "emotional intensity disorder*" or "PD cluster C" or ((obsessional or obsessive) NEAR/0 trait\$) or "psychological dependenc*" or neuropsychopathy or psychopath* or psychopathic or Sociopath* or "Mass Psychogenic Illness*") OR AB=(Hysteria or hystery or Narcissism* or narciss* or "PD cluster A" or schizoidism or schizoidia or schizothymia or "PD cluster B" or "emotional intensity disorder*" or "PD cluster C" or ((obsessional or obsessive) NEAR/0 trait\$) or "psychological dependenc*" or neuropsychopathy or psychopath* or psychopathic or Sociopath* or "Mass Psychogenic Illness*") OR AK=(Hysteria or hystery or Narcissism* or narciss* or "PD cluster A" or schizoidism or schizoidia or schizothymia or "PD cluster B" or "emotional intensity disorder*" or "PD cluster C" or ((obsessional or obsessive) NEAR/0 trait\$) or "psychological dependenc*" or neuropsychopathy or psychopath* or psychopathic or Sociopath* or "Mass Psychogenic Illness*")	Exact search	73,454
7	TI=(Borderline NEAR/0 (state* or psychos* or symptom* or trait*)) OR AB=(Borderline NEAR/0 (state* or psychos* or symptom* or trait*)) OR AK=(Borderline NEAR/0 (state* or psychos* or symptom* or trait*))	Exact search	758
6	TI=(social NEAR/0 ("behavior disorder*" or "behaviour disorder*" or disease* or pathology)) OR AB=(social NEAR/0 ("behavior disorder*" or "behaviour disorder*" or disease* or pathology)) OR AK=(social NEAR/0 ("behavior disorder*" or "behaviour disorder*" or disease* or pathology))	Exact search	858
5	TI=(character NEAR/0 (disorder* or deviation* or disturbance* or neurosis or neuroses or problem*)) OR AB=(character NEAR/0 (disorder* or deviation* or disturbance* or neurosis or neuroses or problem*)) OR AK=(character NEAR/0 (disorder* or deviation* or disturbance* or neurosis or neuroses or problem*))	Exact search	414
4	TI=((Latent or Pseudopsychopathic or Incipient or Pseudoneurotic or "pseudo neurotic") NEAR/0 Schizophrenia*) OR AB((Latent or Pseudopsychopathic or Incipient or Pseudoneurotic or "pseudo neurotic") NEAR/0 Schizophrenia*) OR AK=((Latent or Pseudopsychopathic or	Exact search	54

Litteratursøk fra Bibliotek for helseforvaltningen

Dokumentasjon av søkestrategi

	Incipient or Pseudoneurotic or "pseudo neurotic")) NEAR/0 Schizophrenia*)		
3	TI=((Inadequate or Impulseridden or "Impulse Ridden" or Sociopathic or Psychopathic or Antisocial or "Anti social" or Obsessivecompulsive or Compulsive or Obsessive or Passivedependent or Dependent or Hysterical or Paranoid or Passiveaggressive or "Passive Aggressive" or Schizoid or "cluster A" or "cluster B" or "cluster C" or "odd cluster" or "dramatic cluster" or schizothymic or schizotypal or histrionic or narcissistic or avoidant or sadistic or masochistic or Sadomasochistic or "self defeating" or Asthenic or Anankastic or negativistic or borderline) NEAR/0 (Personalit* or pd or pds)) OR AB=((Inadequate or Impulseridden or "Impulse Ridden" or Sociopathic or Psychopathic or Antisocial or "Anti social" or Obsessivecompulsive or Compulsive or Obsessive or Passivedependent or Dependent or Hysterical or Paranoid or Passiveaggressive or "Passive Aggressive" or Schizoid or "cluster A" or "cluster B" or "cluster C" or "odd cluster" or "dramatic cluster" or schizothymic or schizotypal or histrionic or narcissistic or avoidant or sadistic or masochistic or Sadomasochistic or "self defeating" or Asthenic or Anankastic or negativistic or borderline) NEAR/0 (Personalit* or pd or pds)) OR AK=((Inadequate or "As If" or Impulseridden or "Impulse Ridden" or Sociopathic or Psychopathic or Antisocial or "Anti social" or Obsessivecompulsive or Compulsive or Obsessive or Passivedependent or Dependent or Hysterical or Paranoid or Passiveaggressive or "Passive Aggressive" or Schizoid or "cluster A" or "cluster B" or "cluster C" or "odd cluster" or "dramatic cluster" or schizothymic or schizotypal or histrionic or narcissistic or avoidant or sadistic or masochistic or Sadomasochistic or "self defeating" or Asthenic or Anankastic or negativistic or borderline) NEAR/0 (Personalit* or pd or pds))	Exact search	20,961
2	TI=((Antisocial or "Anti social" or Dyssocial) NEAR/0 (Behavior* or Behaviour*)) OR AB=((Antisocial or "Anti social" or Dyssocial) NEAR/0 (Behavior* or Behaviour*)) OR AK=((Antisocial or "Anti social" or Dyssocial) NEAR/0 (Behavior* or Behaviour*))	Exact search	7,587
1	TI=(personality NEAR/0 (disorder* or change* or disturbance*)) OR AB=(personality NEAR/0 (disorder* or change* or disturbance*)) OR AK=(personality NEAR/0 (disorder* or change* or disturbance*))	Exact search	31,216

Litteratursøk fra Bibliotek for helseforvaltningen

Dokumentasjon av søkestrategi

Database: Scopus

Dato: 28.10.24

Antall treff: 136

14	11 AND 12 AND AND PUBYEAR > 2013 AND PUBYEAR < 2025	136 results
13	11 AND 12	257 results
12	((AFFIL (norway* OR norwegian* OR norge)) OR (TITLE-ABS-KEY (norway* OR norwegian* OR norge)))	661,610 results
11	9 AND 10	16,298 results
10	TITLE-ABS ((therap* OR treatment* OR psychotherap* OR intervention* OR approach* OR admission) W/7 (satisfaction OR perception* OR perceive* OR assessment* OR experience* OR preference* OR perspective* OR opinion* OR survey* OR questionnaire* OR feedback OR "feed back" OR view OR views OR review* OR comment OR comments OR respons* OR "self report*" OR selfreport* OR "patient report*" OR patientreport* OR evaluat*)) OR AUTHKEY ((therap* OR treatment* OR psychotherap* OR intervention* OR approach* OR admission) W/7 (satisfaction OR perception* OR perceive* OR assessment* OR experience* OR preference* OR perspective* OR opinion* OR survey* OR questionnaire* OR feedback OR "feed back" OR view OR views OR review* OR comment OR comments OR respons* OR "self report*" OR selfreport* OR "patient report*" OR patientreport* OR evaluat*))	2,705,847 results
9	1 OR 2 OR 3 OR 4 OR 5 OR 6 OR 7 OR 8	153,652 results
8	TITLE-ABS (hysteria OR hystery OR narcissism* OR narcism* OR "PD cluster A" OR schizoidism OR schizoidia OR schizothymia OR "PD cluster B" OR "emotional intensity disorder*" OR "PD cluster C" OR ((obsessional OR obsessive) PRE/0 trait*) OR "psychological dependenc*" OR neuropsychopathy OR psychopath* OR psychopatic OR sociopath* OR "Mass Psychogenic Illness*") OR AUTHKEY (hysteria OR hystery OR narcissism* OR narcism* OR "PD cluster A" OR schizoidism OR schizoidia OR schizothymia OR "PD cluster B" OR "emotional intensity disorder*" OR "PD cluster C" OR ((obsessional OR obsessive) PRE/0 trait*) OR "psychological dependenc*" OR neuropsychopathy OR psychopath* OR psychopatic OR sociopath* OR "Mass Psychogenic Illness*")	104,569 results
7	TITLE-ABS (borderline PRE/0 (state* OR psychos* OR symptom* OR trait*)) OR AUTHKEY (borderline PRE/0 (state* OR psychos* OR symptom* OR trait*))	1,073 results
6	TITLE-ABS (social PRE/0 ("behavior disorder*" OR "behaviour disorder*" OR disease* OR pathology)) OR AUTHKEY (social PRE/0 ("behavior disorder*" OR "behaviour disorder*" OR disease* OR pathology))	1,468 results

Litteratursøk fra Bibliotek for helseforvaltningen

Dokumentasjon av søkestrategi

5	TITLE-ABS (character PRE/0 (disorder* OR deviation* OR disturbance* OR neurosis OR neuroses OR problem*)) OR AUTHKEY (character PRE/0 (disorder* OR deviation* OR disturbance* OR neurosis OR neuroses OR problem*))	746 results
4	TITLE-ABS ((latent OR pseudopsychopathic OR incipient OR pseudoneurotic or "pseudo neurotic") PRE/0 schizophrenia*) OR AUTHKEY ((latent OR pseudopsychopathic OR incipient OR pseudoneurotic or "pseudo neurotic") PRE/0 schizophrenia*)	136 results
3	TITLE-ABS ((inadequate OR impulseridden OR "Impulse Ridden" OR sociopathic OR psychopathic OR antisocial OR "Anti social" OR obsessivecompulsive OR compulsive OR obsessive OR passivedependent OR dependent OR hysterical OR paranoid OR passiveaggressive OR "Passive Aggressive" OR schizoid OR "cluster A" OR "cluster B" OR "cluster C" OR "odd cluster" OR "dramatic cluster" OR schizothymic OR schizotypal OR histrionic OR narcissistic OR avoidant OR sadistic OR masochistic OR sadomasochistic OR "self defeating" OR asthenic OR anankastic OR negativistic OR borderline) PRE/0 (personalit* OR pd*)) OR AUTHKEY ((inadequate OR impulseridden OR "Impulse Ridden" OR sociopathic OR psychopathic OR antisocial OR "Anti social" OR obsessivecompulsive OR compulsive OR obsessive OR passivedependent OR dependent OR hysterical OR paranoid OR passiveaggressive OR "Passive Aggressive" OR schizoid OR "cluster A" OR "cluster B" OR "cluster C" OR "odd cluster" OR "dramatic cluster" OR schizothymic OR schizotypal OR histrionic OR narcissistic OR avoidant OR sadistic OR masochistic OR sadomasochistic OR "self defeating" OR asthenic OR anankastic OR negativistic OR borderline) PRE/0 (personalit* OR pd*))	26,470 results
2	TITLE-ABS ((antisocial OR "Anti social" OR dyssocial) PRE/0 (behavior* OR behaviour*)) OR AUTHKEY ((antisocial OR "Anti social" OR dyssocial) PRE/0 (behavior* OR behaviour*))	10,520 results
1	TITLE-ABS (personality PRE/0 (disorder* OR change* OR disturbance*)) OR AUTHKEY (personality PRE/0 (disorder* OR change* OR disturbance*))	40,506 results

Litteratursøk fra Bibliotek for helseforvaltningen

Dokumentasjon av søkestrategi

Database: Oria
Dato: 28.10.24
Antall treff: 36

Du søker i:

Norske fagbibliotek

Alle felt

inneholder

(personlighetsforstyrrelse* OR borderline OR psykopat* OR schizoid)

OG

Alle felt

inneholder

(behandl* OR terap* OR psykoterap*)

OG

Alle felt

inneholder

(norge OR norsk)

Utgivelsesår: 2014-2024